


TP-Link CPE510 traadita kohtvõrgu pääsupunkt 300 Mbit/s Valge Power over Ethernet tugi

Brand : TP-Link Product code: CPE510

Product name : CPE510








Features		Design	
Maximum data transfer rate *	300 Mbit/s	Product colour *	White
Wi-Fi data rate (max)	300 Mbit/s	Reset button	✓
Ethernet LAN data rates	10,100 Mbit/s	LED indicators	✓
Frequency band	5.15 - 5.85 GHz	Internal	×
Bandwidth	5 GHz	Antenna	
Networking standards	IEEE 802.11a, IEEE 802.11n		
Maximum outdoor range	15000 m	Antenna features	Integrated antenna
Receiver sensitivity	802.11a: 54M: -75dBm, 48M: -76dBm, 36M: -83dBm, 6-24M: -95dBm 802.11n: MCS15: -73dBm, MCS14: -74dBm, MCS13: -76dBm, MCS12: -80dBm, MCS11: -83dBm, MCS10: -88dBm, MCS9: -90dBm, MCS8: -93dBm, MCS7: -73dBm, MCS6: -74dBm, MCS5: -76dBm, MCS4: -80dBm, MCS3: -83dBm, MCS2: -88dBm, MCS1: -90dBm, MCS0: -93dBm	Antennas quantity	1
		Antenna gain level (max)	13 dBi
		Performance	
		Built-in processor	✓
		Flash memory	8 MB
		Internal memory	64 MB
		Compatible operating systems	Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 8, Windows 7, MAC OS, NetWare, UNIX or Linux.
Security		Certificates	
Security algorithms *	64-bit WEP, 128-bit WEP, 152-bit WEP, TKIP, WPA, WPA-PSK, WPA2, WPA2-PSK		CC/UL/IC/GS/PSB/C-tick/SAA/S-Mark/KC-mark oHS
MAC address filtering	VI A2 1 3 K	Weight & dimensions	
Protocols		Width	224 mm
	TDMA	Depth	75 mm
Management protocols	TDMA	Height	60 mm
Management features		Packaging content	
Web-based management	✓	Cables included	AC
Management platform	Pharos Control	Operational conditions	
Ports & interfaces		Operating relative humidity (H-H)	10 - 90%
Ethernet LAN (RJ-45) ports *	1	Operating temperature (T-T)	-30 - 70 °C
WAN connection	Ethernet (RJ-45)	Storage temperature (T-T)	-40 - 70 °C
Power		Storage relative humidity (H-H)	5 - 95%
Power over Ethernet (PoE) *	✓	Logistics data	
AC input voltage	100 - 240 V	Harmonized System (HS) code	85176990

Power

AC input frequency 50 - 60 Hz
Input current 0.8 A
Power consumption (typical) 13 W











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.