

## Whirlpool WIC 3C26 F Osaliselt sisseehitatud 14 kohta E

**Brand :** Whirlpool

**Product code:** 869991605600

**Product name :** WIC 3C26 F

Whirlpool WIC 3C26 F. Seadme paigaldus: Osaliselt sisseehitatud, Toote suurus: Täissuurus (60 cm), Juhtpaneeli värv: Hõbe. Asetuste arv: 14 kohta, Müraemissiooni klass: C, Müratase: 46 dB. Jalgade reguleerimine: 8 cm. Energiatõhususe klass: E, Veekulu tsükli kohta: 9,5 l, Energiatarve 100 tsükli kohta: 95 kWh. Laius: 598 mm, Sügavus: 555 mm, Kõrgus: 900 mm



Design		Ergonomics	
Appliance placement *	Semi built-in	Ready indicator	✓
Product size *	Full size (60 cm)	Remaining time indication	✗
Custom panel-ready *	✓	Buzzer	✓
Door colour *	Not applicable	Salt indicator	✓
Control panel colour	Silver	Rinse aid indicator	✓
Built-in display *	✓	LED program stage indicator	✗
Cord length	1.3 m	<b>Power</b>	
Inlet hose length	1.55 m	Energy efficiency scale	A to G
Outlet hose length	1.5 m	Energy efficiency class *	E
Number of baskets	2 basket(s)	Energy consumption per cycle	0.934 kWh
Upper basket adjustable height	✓	Water consumption per cycle *	9.5 L
Cutlery compartment type	Drawer	Energy consumption per 100 cycles *	95 kWh
<b>Performance</b>		Connected load	1900 W
Noise level *	46 dB	Power consumption (left-on)	6 W
Dishwashing programs *	Eco 50°C, Glass/Delicate, Intensive 65°C, Normal, Pre-wash, Quick, Silent	Power consumption (off)	0.5 W
Number of place settings *	14 place settings	AC input voltage	220 - 240 V
Number of washing programs *	8	AC input frequency	50 Hz
Noise emission class *	C	Current	10 A
Maximum hot water supply temperature	60 °C	<b>Weight &amp; dimensions</b>	
Cycle time *	190 min	Depth	555 mm
Delayed start timer	✓	Height	900 mm
Delay start (max)	12 h	Weight	35.5 kg
Left-on mode duration	12 min	Installation compartment width	60 cm
AquaStop function *	✗	Installation compartment depth	56 cm
AquaSensor function	✗	Installation compartment height	82 cm
		Width *	598 mm

Performance		Packaging data	
Overflow protection *	✓	Package width	625 mm
Half-load	✓	Package depth	675 mm
Automatic load recognition	✗	Package weight	37.5 kg
Ergonomics		Other features	
Dosage assistant	✗	Warranty period	2 year(s)
Self-cleaning filter	✗		
Adjustable feet	✓		
Feet adjustment	8 cm		
Floor indicator light	✗		



8003437204470

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-NOV-2024. Prints or copies of Information are only valid on the printed Publication date