



TP-Link Omada EAP225-Outdoor 1200 Mbit/s Valge Power over Ethernet tugi

Brand : TP-Link

Product family: Omada

Product code: EAP225-OUTDOOR

Product name : EAP225-Outdoor

TP-Link Omada EAP225-Outdoor. 2,4 GHz, 5 GHz, Andmete edastamise maksimaalne määr: 1200 Mbit/s. Turvaalgoritmid: 802.1x RADIUS. Ethernet LAN-i andmeedastuskiirused: 10,100,1000 Mbit/s. Power over Ethernet tugi. Toote värv: Valge



Features		Design	
2.4 GHz *	✓	Placement *	Pole, Wall
5 GHz *	✓	Product colour *	White
6 GHz *	✗	International Protection (IP) code	IP65
Maximum data transfer rate *	1200 Mbit/s	Reset button	✓
Maximum data transfer rate (2.4 GHz)	300 Mbit/s	Antenna	
Maximum data transfer rate (5 GHz)	867 Mbit/s	Antenna type *	External
Ethernet LAN data rates	10,100,1000 Mbit/s	Antenna direction type	Omni-directional
Frequency band	2.4 - 5 GHz	Antenna features	Detachable antenna
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3u	Antennas quantity	2
		Antenna gain level (max)	4 dBi
MIMO	✓	Performance	
MIMO type	Multi User MIMO	Compatible operating systems	Microsoft Windows XP, Vista, Windows 7, Windows 8, Windows10, Windows11, Linux
Wi-Fi Multimedia (WMM)/(WME)	✓	Certificates	
VLAN support	✓	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Virtual LAN features	VLAN mapping	Weight & dimensions	
Rate limiting	✓	Width	215 mm
Band steering	✓	Depth	46 mm
Airtime Fairness (ATF)	✓	Height	27 mm
Quality of Service (QoS) support	✓	Packaging data	
BeamForming	✓	Package width	140 mm
Transmitting power (CE)	27 dBm	Package depth	270 mm
Transmitting power (FCC)	22 dBm	Package height	100 mm
Security		Package weight	640 g
Security algorithms *	802.1x RADIUS		
MAC address filtering	✓		

Security		Packaging content	
Service Set Identifier (SSID) features	Multiple SSIDs	Quantity per pack	1 pc(s)
Number of SSID supported	16	AC adapter included	✓
Access Control List (ACL)	✓	Mounting kit	✓
Management features		Quick start guide	✓
		Operational conditions	
Web-based management	✓	Operating relative humidity (H-H)	10 - 90%
Syslog	✓	Operating temperature (T-T)	-30 - 70 °C
Ports & interfaces		Storage temperature (T-T)	-40 - 70 °C
Ethernet LAN (RJ-45) ports *	1	Storage relative humidity (H-H)	5 - 90%
Power		Sustainability	
Power over Ethernet (PoE) *	✓	Sustainability compliance	✓
Power over Ethernet (PoE) type supported	Passive PoE	Logistics data	
Output voltage	24 V	Harmonized System (HS) code	85176990
Power consumption (typical)	10.5 W		



6935364083571



0845973083571



845973083571

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 02-JAN-2025. Prints or copies of Information are only valid on the printed Publication date