

ZYXEL

Zyxel GS1200-8HP v2 Juhitav Gigabit Ethernet (10/100/1000) Power over Ethernet tugi Hall

Brand : Zyxel

Product code: GS1200-8HPV2-EU0101F

Product name : GS1200-8HP v2



Zyxel GS1200-8HP v2. Lüliti tüüp: Juhitav. RJ-45 Etherneti ühenduse pesade tüüp: Gigabit Ethernet (10/100/1000), RJ-45 Etherneti ühenduse pesade arv: 8. Täisdupleks. MAC-aadresside tabel: 4000 sisestust, Lülitusvõime: 16 Gbit/s. Võrgustandardid: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3x. Alalisvoolu sisendpinge: 55 V. Toitepistik: Alaldi sisendi pesa. Power over Ethernet tugi



Juhtimisfunktsioonid		Disain	
Lüliti tüüp *	Juhitav	Korpuse materjal	Metall
Teenusekvaliteedi (QoS) tugi	✓	Toimimine	
Veebipõhine haldus	✓	Puhvrisuurus	192 KB
Pesad & liidesed		Võimsus	
RJ-45 Etherneti ühenduse pesade arv *	8	Alalisvoolu sisendpinge	55 V
RJ-45 Etherneti ühenduse pesade tüüp *	Gigabit Ethernet (10/100/1000)	Sisendvool	1.3 A
Toitepistik	Alaldi sisendi pesa	Elektritarbimine (max)	72 W
Võrgustumine		Internet elektrivõrgu kaudu (PoE)	
Võrgustandardid *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3x	Power over Ethernet tugi *	✓
Pordipeegeldus	✓	Toide üle võrgu (PoE) pesade arv	4
Täisdupleks	✓	Toide üle võrgu (PoE) võimsusühikuid kokku	60 W
Voo reguleerimise tugi	✓	Töötingimused	
Linkide koondamine	✓	Kasutamistemperatuur (T-T)	0 - 40 °C
Levindamise tormi kontroll	✓	Hoiustamistemperatuur (T-T)	-40 - 70 °C
Auto MDI/MDI-X	✓	Suhteline õhuniiskus kasutamisel (H-H)	10 - 90 protsenti
Andmeedastus		Suhteline õhuniiskus (H-H) hoiustamisel	10 - 90 protsenti
Lülitusvõime *	16 Gbit/s	Kaal ja mõõtmed	
MAC-aadresside tabel *	4000 sisestust	Laius	240 mm
Ladusta-ja-edasta	✓	Sügavus	105 mm
Hiigelkaadrite tugi	✓	Kõrgus	26 mm
Hiigelkaadrite	9000	Kaal	584 g
Jumbo frame ulatus	1 - 1 B	Pakendi andmed	
Turvalisus		Pakendi laius	256 mm
DHCP elemendid	DHCP client	Pakendi sügavus	132 mm
IGMP-jälgimine	✓	Pakendi kõrgus	78 mm
Tsükli kaitse	✓	Pakendi kaal	1,15 kg
Disain			
Püstikmontaaž *	✗		

Disain

Toote värv

Hall

Logistika andmed

Harmonized System (HS) kood

85176990



4718937600601

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-AUG-2024. Prints or copies of Information are only valid on the printed Publication date