



## DELL 470-ABBT võrgukaart Ethernet 1000 Mbit/s

**Brand :** DELL

**Product code:** 470-ABBT

**Product name :** 470-ABBT

DELL 470-ABBT. Ühenduvustehnoloogia: Juhtmega ühendatud, Hostiliides: USB, Liides: Ethernet.  
Andmete edastamise maksimaalne määr: 1000 Mbit/s. Toide USB kaudu. Toote värv: Must



### Pesad & liidesed

Ühenduvustehnoloogia *	Juhtmega ühendatud
Hostiliides *	USB
Liides *	Ethernet
Ethernet LAN (RJ-45) pordid	1
USB versioon	3.2 Gen 1 (3.1 Gen 1)

### Võrgustumine

Andmete edastamise maksimaalne määr *	1000 Mbit/s
Võrgustandardid *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u
Ethernet LAN	✓
Ethernet-liidese tüüp	Gigabit Ethernet
Ethernet LAN-i andmeedastuskiirused	10,100,1000 Mbit/s
Kaabeldustehnoloogia	10/100/1000BaseT(X)

### Disain

Komponent *	PC/sülearvuti
Toote värv	Must
Sisemine *	✗

## Disain

Ühilduvad tooted

Alienware Alpha ASM100 Chromebook 11  
3180 Chromebook 11 3189 Chromebook 13  
3380 Dimension 1100 Dimension 2300  
Dimension 2350 Dimension 2400  
Dimension 2400C Dimension 3000  
Dimension 4500 Dimension 4500s  
Dimension 4600 (APG Video Card)  
Dimension 4600 (Integrated Graphics)  
Dimension 4600C Dimension 4700  
Dimension 4700C Dimension 5100  
Dimension 5100C Dimension 5150  
Dimension 5150c Dimension 8300  
Dimension 8400 Dimension 9200  
Dimension 9200C Dimension C521  
Dimension E520 Dimension E521 Inspiron  
1150 Inspiron 3847 Inspiron 400 Inspiron  
518 Inspiron 519 Inspiron 530 Inspiron 530s  
Inspiron 531 Inspiron 531s Inspiron 537  
Inspiron 537s Inspiron 545 Inspiron 545s  
Inspiron 545s ST Inspiron 546 Inspiron 546s  
Inspiron 560 Inspiron 560s Inspiron 570  
Inspiron 580 Inspiron 580s Inspiron 620  
Inspiron 620s Inspiron 660 Inspiron 660s  
Inspiron One 23 (2330) Inspiron One 23  
(2350) Inspiron One 2320 Inspiron Zino HD  
410 Latitude 3180 Latitude 3189 Latitude  
3380 Optiplex 160 Optiplex 170L DT  
Optiplex 210L DT Optiplex 3010 Optiplex  
3011 AIO Optiplex 3020 Micro Optiplex  
3020 SFF Optiplex 3030 AIO Optiplex 320  
DT Optiplex 320 MT Optiplex 330 DT  
Optiplex 330 MT Optiplex 360 DT Optiplex  
380 DT Optiplex 380 MT Optiplex 380 SFF  
Optiplex 390 DT Optiplex 580 DT Optiplex  
7010 MT Optiplex 7010 SFF Optiplex 7010  
USFF Optiplex 7020 MT Optiplex 7020 SFF  
Optiplex 740 DT Optiplex 740 MT Optiplex  
745 DT Optiplex 745 MT Optiplex 745 SFF  
Optiplex 745 USFF Optiplex 745c Optiplex  
755 DT Optiplex 755 Energy Smart DT  
Optiplex 755 Energy Smart USFF Optiplex  
755 MT Optiplex 755 SFF Optiplex 760 DT  
Optiplex 760 USFF Optiplex 780 DT  
Optiplex 780 MT Optiplex 780 SFF Optiplex  
780 USFF Optiplex 790 DT Optiplex 9010  
Optiplex 9010 AIO Optiplex 9010 MT  
Optiplex 9010 SFF Optiplex 9020 AIO  
Optiplex 9020 Micro Optiplex 9020 MT  
Optiplex 9020 SFF Optiplex 9030 AIO  
Optiplex 980 DT Optiplex 990 DT Optiplex  
FX160 Optiplex GX260 DT Optiplex GX270  
DT Optiplex GX520 DT Optiplex GX60 DT  
Optiplex GX620 DT Optiplex GX620 MT  
Optiplex GX620 SFF Optiplex GX620 USFF  
Optiplex SX260 DT Optiplex SX270 DT  
Optiplex SX280 DT Optiplex XE DT Optiplex  
XE SFF Optiplex XE2 MT Optiplex XE2 SFF  
Precision M20 Precision M2300 Precision  
M2400 Precision M2800 Precision M3800  
Precision M4300 Precision M4400 Precision  
M4500 Precision M4600 Precision M4700  
Precision M4800 Precision M50 Precision  
M60 Precision M6300 Precision M6400  
Precision M65 Precision M6500 Precision  
M6600 Precision M6700 Precision M6800  
Precision M70 Precision M90 Precision  
R7910 Precision Workstation T1700 SFF  
Precision Workstation T5810 Precision  
Workstation T7810 Precision Workstation  
T7910 Studio 1457 Studio 1458 Studio  
1536 Studio 1555 Studio 1557 Studio 1558  
Studio 1569 Studio 1735 Studio 1737  
Studio 1745 Studio 1747 Studio 1749  
Studio 540ST Studio XPS 7100 Vostro 200  
ST Vostro 220 Vostro 230 MT Vostro 230 ST  
Vostro 320 All-in-One Vostro 330 Vostro  
400 Vostro 410 Vostro 420 Vostro 430  
Vostro 460 Vostro 470 XPS 200 XPS 210  
XPS 400 XPS 410 XPS 420 XPS 430 XPS 600  
XPS 625 XPS 630 XPS 700 XPS 710 XPS 720  
XPS 720 H2C XPS 720 Red XPS 730 XPS  
8300 XPS 8500 XPS 8700 XPS One 27  
(2710) XPS One A2420

## Võimsus

Toide USB kaudu



**Kaal ja mõõtmed**

Laius	20,3 mm
Sügavus	152 mm
Kõrgus	15,2 mm

**Pakendi sisu**

Juhend	✓
--------	---

**Logistika andmed**

Harmonized System (HS) kood	85176990
-----------------------------	----------

**Muud funktsioonid**

Kiirstardi juhend	✓
-------------------	---



5397063566679

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-AUG-2024. Prints or copies of Information are only valid on the printed Publication date