

TP-Link RE365 võrgulaiendaja Võrguvõimendi Valge 10, 100 Mbit/s

Brand : TP-Link

Product code: RE365

Product name : RE365

TP-Link RE365. Tüüp: Võrguvõimendi, Maksimaalne ülekandekaugus: 3048 m, Andmeedastuskiirus: 867 Mbit/s. Antenni tüüp: Sisemodem, Saatja võimsus (CE): 6.5 - 18 dbm, Saatja võimsus (FCC): 8 - 19 dbm. Kaabeldustehnoloogia: 10/100Base-T(X), Võrgustandardid: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, WiFi-standardid: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac). Toote värv: Valge. AC-sisendpinge: 100 - 240 V, AC-sisendsagedus: 50/60 Hz, Võimsustarve (tüüpiline): 8 W



Performance		Design	
Type *	Network repeater	Product colour	White
Maximum transfer distance *	3048 m	LED indicators	✓
Data transfer rate	867 Mbit/s	On/off switch	✓
Ethernet LAN data rates	10,100 Mbit/s	Reset button	✓
WPS push button	✓	Power	
Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP	AC input voltage	100 - 240 V
Mac compatibility	✓	AC input frequency	50/60 Hz
Mac operating systems supported	✓	Power consumption (typical)	8 W
Linux operating systems supported	✓	Operational conditions	
Browser supported	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0	Operating temperature (T-T)	0 - 40 °C
Antenna		Storage temperature (T-T)	-40 - 70 °C
Antennas quantity	2	Operating relative humidity (H-H)	10 - 90%
Antenna type	Internal	Storage relative humidity (H-H)	5 - 90%
Transmitting power (CE)	6.5 - 18 dBm	Weight & dimensions	
Transmitting power (FCC)	8 - 19 dBm	Width	70 mm
Network		Depth	77 mm
Cabling technology	10/100Base-T(X)	Height	125 mm
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Packaging content	
Wi-Fi	✓	Quick start guide	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Packaging data	
Wi-Fi data rate (max)	867 Mbit/s	Package type	Box
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)	Package width	171 mm
		Package depth	104 mm
		Package height	99 mm
		Package weight	380 g

Network		Certificates	
Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA2-PSK	Compliance certificates	CE, RoHS
Ports & interfaces			
Ethernet LAN (RJ-45) ports	1		



6935364083991

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-APR-2025. Prints or copies of Information are only valid on the printed Publication date