

ATEN CS64US-AT KVM-lüliti Sinine

Brand : ATEN

Product code: CS64US-AT

Product name : CS64US-AT



ATEN CS64US-AT. Klaviatuuri pordi tüüp: USB, Hiire pordi tüüp: USB, Videopordi tüüp: VGA. HD tüüp: QXGA, Maksimaalne resolutsioon: 2048 x 1536 pikslit, Skaneerimisintervall: 1,5,99 s. Toote värv: Sinine, Korpuse materjal: Plast. Toiteallikas: DC (alalisvool), Sisendpinge: 5 V, Võimsustarve (tüüpiline): 0,9 W. Laius: 94,1 mm, Sügavus: 97,2 mm, Kõrgus: 26 mm

Pesad & liidesed		Töötingimused	
Kontrollitavate arvutite arv *	4	Hoiustamistemperatuur (T-T)	-20 - 60 °C
Klaviatuuri pordi tüüp *	USB	Suhteline õhuniiskus kasutamisel (H-H)	0 - 80 protsenti
Hiire pordi tüüp *	USB	Suhteline õhuniiskus (H-H) hoiustamisel	0 - 80 protsenti
Videopordi tüüp *	VGA		
VGA (D-Sub) portide arv	4		
Konsooliosad *	3.5 mm kõrvaklapid, USB A, VGA (D-Sub)	Kaal ja mõõtmed	
Konsooli USB-pesade arv	2	Laius	94,1 mm
USB 2.0 Type-A jaoturi pesade arv	4	Sügavus	97,2 mm
Audioühendused	✓	Kõrgus	26 mm
		Kaal	580 g
Toimimine		Pakendi andmed	
HD tüüp *	QXGA	Pakendi laius	95 mm
Maksimaalne resolutsioon *	2048 x 1536 pikslit	Pakendi sügavus	265 mm
Skaneerimisintervall	1,5,99 s	Pakendi kõrgus	220 mm
DDC2B-tugi	✓	Pakendi kaal	765 g
Disain		Pakendi sisu	
Toote värv *	Sinine	Kiirpaigaldusjuhend	✓
Korpuse materjal	Plast	Juhend	✓
LED-indikaatorid	✓	Logistika andmed	
Kiirklahvid	✓	Peamise pakendi netokaal	2,9 kg
Ekraan		Harmonized System (HS) kood	85176200
Sisseehitatud ekraan *	✗	Põhikasti (välimise) laius	232 mm
Võimsus		Põhikasti (välimise) pikkus	500 mm
Toiteallikas	DC (alalisvool)	Põhikasti (välimise) kõrgus	283 mm
Sisendpinge	5 V	Põhikasti (välimise) brutokaal	4,24 kg
Võimsustarve (tüüpiline)	0,9 W	Tooteid põhikasti (välimise) kohta	5 tk
Töötingimused			
Kasutamistemperatuur (T-T)	0 - 50 °C		



6727920019946



0172302707120




172302707120



0132017782300



132017782300



0779301428331




779301428331



0352237784476



352237784476



4014619575305



0999992485578



999992485578



0803982761774




803982761774



0102930758928



102930758928



4710423776456

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.