



## HP Color Laser MFP 179fnw, Print, copy, scan, fax, Scan to PDF

Brand : HP

Product family: Color Laser

Product code: 4ZB97A#B19

Product name : HP Color Laser MFP 179fnw, Print, copy, scan, fax, Scan to PDF

HP Color Laser MFP 179fnw, Print, copy, scan, fax, Scan to PDF. Printimistehnoloogia: Laser, Printimine: Värviline printimine, Maksimaalne resolutsioon: 600 x 600 DPI, Printimiskiirus (värviline, tavakvaliteet, A4/US Letter-formaat): 4 lk/min. Kopeerimine: Värviline kopeerimine, Maksimaalne kopeerimisresolutsioon: 600 x 600 DPI. Skaneerimine: Värviskaneerimine, Optilise skaneerimise resolutsioon: 600 x 600 DPI. Faksimine: Mono faksimine. Dupleksfunktsioonid: Print. Maksimaalne ISO A-seeria paberi suurus: A4. WiFi. Otseprintimine. Toote värv: Must, Valge



Printing		Ports & interfaces	
Duplex printing mode	Manual	Standard interfaces	USB 2.0
Print resolution colour	600 x 600 DPI	Direct printing *	✓
Print resolution black	600 x 600 DPI	USB port	✓
Print technology *	Laser	Network	
Printing *	Colour printing	Wi-Fi *	✓
Duplex printing *	✓	Ethernet LAN *	✓
Maximum resolution *	600 x 600 DPI	Cabling technology	10/100Base-T(X)
Print speed (black, normal quality, A4/US Letter) *	18 ppm	Ethernet LAN data rates	10,100 Mbit/s
Print speed (colour, normal quality, A4/US Letter)	4 ppm	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Warm-up time	38 s	Wi-Fi Direct	✓
Time to first page (black, normal)	12.4 s	Security algorithms	SNMPv2, IPsec
Time to first page (colour, normal)	25.3 s	Mobile printing technologies	Google Cloud Print, Apple AirPrint, Mopria Print Service
Print margins (top, bottom, right, left)	5 mm	Performance	
N-in-1 print function	✓	Maximum internal memory	128 MB
Watermark printing	✓	Internal memory *	128 MB
Secure printing	✓	Built-in processor	✓
Booklet printing function	✓	Processor frequency	800 MHz
Poster printing function	✓	Sound power level (printing)	6.5 dB
Copying		Design	
Duplex copying *	✓	Product colour *	Black, White
Copying *	Colour copying	Market positioning *	Home & office
Maximum copy resolution *	600 x 600 DPI	Built-in display *	✓
Copy speed (black, normal quality, A4)	18 cpm	Display	LCD
Copy speed (colour, normal quality, A4)	4 cpm	Display number of lines	2 lines
Time to first copy (black, normal)	12.6 s	Control type	Buttons
Time to first copy (colour, normal)	32.1 s	Power	
Maximum number of copies	999 copies	Power consumption (printing)	300 W
		Power consumption (ready)	38 W

<b>Copying</b>		<b>Power</b>	
Copier resize	25 - 400%	Power consumption (sleep)	1.9 W
N-in-1 copy function	✓	Power consumption (off)	0.2 W
N-in-1 copy function (N=)	4, 2	Energy Star Typical Electricity Consumption (TEC)	1.093 kWh/week
ID-card copy function	✓	AC input voltage	220 - 240 V
Background adjustment function	✓	AC input frequency	50/60 Hz
Auto fit function	✓	<b>Brand-specific features</b>	
<b>Scanning</b>		HP Auto-On/Auto-Off	✓
Scanning *	Colour scanning	HP dynamic security	✓
Optical scanning resolution *	600 x 600 DPI	(ABT) 193015507333; (ABY) 193015507340; (ACQ) 193015507371; (B13) 193015507388; (BAZ) 193015507395	
Maximum scan resolution	19200 x 19200 DPI	HP GTIN (EAN/UPC) with options	193015507333, 193015507340, 193015507371, 193905621620, 193015507388; (BAZ) 193015507395
Maximum scan area	216 x 297 mm	HP GTIN (EAN/UPC)	193015507333, 193015507340, 193015507371, 193905621620, 193015507388, 193015507395
Scanner type *	Flatbed & ADF scanner	<b>System requirements</b>	
Scan technology	CIS	Windows operating systems supported	Windows 7, Windows 8, Windows 11
Scan to	Software, TWAIN, WIA	Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.14 Mojave, Mac OS X 10.13 High Sierra, Mac OS X 10.12 Sierra
Image formats supported	TIFF, JPG	Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2016
Document formats supported	PDF	<b>Operational conditions</b>	
Input colour depth	24 bit	Operating relative humidity (H-H)	10 - 80%
Greyscale levels	256	Storage temperature (T-T)	-20 - 40 °C
Scan drivers	WIA, TWAIN	Operating temperature (T-T)	10 - 30 °C
TWAIN version	1.9	<b>Certificates</b>	
<b>Fax</b>		Certification	EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN55024: 2010, EN 55032: 2012/AC: 2013, 47 CFR Part 15, Subpart B I ANSI C63.4-2009, ICES-003 Issue 5, KN32, KN35, GB/T 9254-2008, GB17625.1-2012, CISPR22: 2008, CISPR32: 2012, CNS 13438 (Other EMC approvals as required by individual countries.)
Faxing *	Mono faxing	<b>Sustainability</b>	
Fax resolution (black)	300 x 300 DPI	Sustainable technologies and materials	Mercury free
Modem speed	33.6 Kbit/s	Doesn't contain	Mercury
Fax memory	400 pages	<b>Weight &amp; dimensions</b>	
Auto-redialing	✓	Width	406 mm
Speed dialling	✓	Depth	363 mm
Fax forwarding	✓	Height	344.1 mm
Fax delayed sending	✓	Weight	14.1 kg
Auto reduction	✓	<b>Packaging data</b>	
Distinctive ring	✓	Package width	501 mm
<b>Features</b>		Package depth	466 mm
Recommended duty cycle	100 - 500 pages per month	Package height	440 mm
Maximum duty cycle *	20000 pages per month	Package weight	17.4 kg
Duplex functions *	Print	<b>Packaging content</b>	
Digital sender	✓	Cartridge(s) included	✓
Number of print cartridges *	4	Included cartridge capacity (black)	700 pages
Printing colours *	Black, Cyan, Magenta, Yellow	Included cartridge capacity (CMY)	500 pages
Page description languages	SPL	Cables included	AC
All-In-One-multitasking	✓	Manual	✓
Country of origin	China	Power cord included	✓
HP segment	Small medium business		
<b>Input &amp; output capacity</b>			
Total number of input trays *	1		
Total input capacity *	150 sheets		
Total output capacity *	50 sheets		
Paper tray 1 input capacity	150 sheets		
Paper input type	Paper tray		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	40 sheets		
Maximum number of input trays	1		
Maximum input capacity	150 sheets		
Maximum output capacity	50 sheets		
<b>Paper handling</b>			
Maximum ISO A-series paper size *	A4		

Paper handling		Packaging content	
Maximum print size	216 x 356 mm	Warranty card	✓
Paper tray media types *	Thick paper, Heavy paper, Bond paper, Plain paper, Labels, Recycled paper, Glossy paper	Quick installation guide	✓
ISO A-series sizes (A0...A9) *	A4, A5, A6	Bundled software	Common Installer, V3 Print Driver with Lite SM, TWAIN/WIA Driver, HP MFP Scan, HP LJ Network PC-FAX, OCR program
ISO B-series sizes (B0...B9)	B5		
Non-ISO print media sizes	Oficio		
JIS B-series sizes (B0...B9)	B5		
Custom media width	76 - 216 mm		
Custom media length	148.5 - 356 mm		
Paper tray media weight	60 - 220 g/m <sup>2</sup>		
		Logistics data	
		Harmonized System (HS) code	84433100
		Pallet gross weight	357 g
		Master (outer) cases per pallet	20 pc(s)
		Layers per pallet	5 pc(s)
		Products per pallet	20 pc(s)
		Technical details	
		Master (outer) cases per pallet layer	4 pc(s)
		Other features	
		Number of users	5 user(s)
		Pallet dimensions (W x D x H)	1014 x 944 x 2202 mm
		Recommended system requirements	PC: Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer.



0193015507388



193015507388

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.