




i-tec C31MYSAFEU313 kõvakettaboks HDD/SSD ümbris Must 2.5"

Brand : i-tec

Product code: C31MYSAFEU313

Product name : C31MYSAFEU313

i-tec C31MYSAFEU313. Toote tüüp: HDD/SSD ümbris. Toetatud ketaste arv: 1, Ketta suurus: 2.5", Kõvaketta ühenduse tüüp: Jada ATA, Jada ATA II, Jada ATA III. Andmeedastuskiirus: 10 Gbit/s. Toote värv: Must. USB-pistmiku tüüp: USB tüüp-C



Salvesti		Süsteeminõuded	
Toetatud ketaste arv *	1		Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Ketta suurus *	2.5"		
Kõvaketta ühenduse tüüp *	Jada ATA, Jada ATA II, Jada ATA III		
Toetatud kõvaketta kõrgus	9.5 mm		
Pesad & liidesed			
USB ühilduvus *	✓		
USB versioon	3.2 Gen 2 (3.1 Gen 2)		
USB-pistmiku tüüp	USB tüüp-C		
USB-pistiku sugu	Meessoost	Toetatud Windowsi operatsioonisüsteemid	
Disain			
Toote tüüp *	HDD/SSD ümbris		
Toote värv *	Must		
LED-indikaatorid	Tegevus, HDD		
Toimimine			
Andmeedastuskiirus	10 Gbit/s		
Isehäälestuv	✓		
Võimsus		Mac-ühilduvus	✓
Toiteallika tüüp	USB		Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
AC-adaptori väljundpinge	5 V	Toetatud Maci operatsioonisüsteemid	
AC-adaptori väljundvool	0,9 A		
Kaal ja mõõtmed			
Laius		130 mm	
Sügavus		74 mm	
Kõrgus		16 mm	
Kaal		60 g	
Kaabli pikkus		0,15 m	
Pakendi laius		133 mm	

Kaal ja mõõtmed

Pakendi sügavus	80 mm
Pakendi kõrgus	20 mm

Pakendi sisu

Välisümbris	✓
Kasutusjuhend	✓

Logistika andmed

Harmonized System (HS) kood	84733080
-----------------------------	----------



8595611701849

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-AUG-2024. Prints or copies of Information are only valid on the printed Publication date