


## HP LaserJet Enterprise M507dn, Black and white, Tiskárna pro Prindi, Two-sided printing

Brand : HP Product family: LaserJet Product code: 1PV87A#B19
Enterprise

Product name : HP LaserJet

Enterprise M507dn, Black and white, Tiskárna pro Prindi, Two-

sided printing



HP LaserJet Enterprise M507dn, Black and white, Tiskárna pro Prindi, Two-sided printing. Printimistehnoloogia: Laser. Prindikassettide arv: 1, Maksimaalne käidutsükkel: 150000 lehekülge kuu kohta. Maksimaalne resolutsioon: 1200 x 1200 DPI. Maksimaalne ISO A-seeria paberi suurus: A4. Printimiskiirus (must-valge, tavakvaliteet, A4/US Letter-formaat): 43 lk/min, Kahepoolne printimine. Ekraan: LCD. Võrguvalmidus. Toote värv: Valge





Printing		Design	
Duplex printing mode	Auto	Display diagonal	6.86 cm (2.7")
Print resolution black	1200 x 1200 DPI	Control type	Buttons
Colour *	×		CISPR 22:2008 (International) -
Print technology *	Laser	Certification	Class A, CISPR32:2012 (International) - Class A, EN 55032: 2012 (EU) - Class A, EN 61000-3-2: 2014, EN 61000-3-3: 2013, EN 55024: 2010, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A/ICES-003, Issue 6 Class A. Other EMC approvals as required by
Duplex printing *	✓		
Maximum resolution *	1200 x 1200 DPI		
Print speed (black, normal quality, A4/US Letter) *	43 ppm		
Warm-up time	150 s		
Time to first page (black, normal)	5.9 s		individual countries.
Print margins (top, bottom, right, left)	4.3 mm	Power	
Watermark printing	/	Power consumption (printing) *	601 W
	•	Power consumption (ready)	7.6 W
Secure printing	<b>✓</b>	Power consumption (PowerSave)	0.06 W
Features		Power consumption (off)	0.06 W
Maximum duty cycle *	150000 pages per month	Energy Star Typical Electricity Consumption (TEC)	0.42 kWh/week
Recommended duty cycle	2000 - 7500 pages per month	AC input voltage	100 - 240 V
Printing colours *	Black	AC input frequency	50/60 Hz
Number of print cartridges *	1	System requirements	
Page description languages *	PCL 6, PDF 1.7, PostScript 3		
Printer fonts	PostScript, Scalable, TrueType, Windows	Windows operating systems supported	Windows 7, Windows 8, Windows 11
Country of origin	Brazil, Japan, Philippines	Management and a second and	Mac OS X 10.14 Mojave, Mac OS X
HP segment	Business	Mac operating systems supported	10.13 High Sierra, Mac OS X 10.12 Sierra
Input & output capacity		Linux operating systems supported	✓
Total number of input trays *	2	Other operating systems supported	Android, iOS
Total input capacity *	650 sheets	Operational conditions	
Total output capacity *	250 sheets	Operating temperature (T-T)	10 - 32.5 °C
Paper tray 1 input capacity	100 sheets	Storage temperature (T-T)	-20 - 40 °C
Paper tray 2 input capacity	550 sheets	Operating relative humidity (H-H)	10 - 80%
Multi-Purpose tray	100 shashs	Sustainability	
Multi-Purpose tray input capacity	100 sheets	- · · · · · · · · · · · · · · · · · · ·	

Input & output capacity		Sustainability	
Maximum number of input trays	5	Sustainability compliance	✓
Maximum input capacity	2300 sheets	Sustainability certificates	ENERGY STAR, Blue Angel
Maximum output capacity	250 sheets	Sustainable technologies and materials	Mercury free
Paper handling		Doesn't contain	Mercury
Maximum ISO A-series paper size *	A4	Weight & dimensions	
	Envelopes, Rough paper, Letterhead, Bond paper, Plain	Width	418 mm
Paper tray media types *	paper, Card stock, Transparencies,	Depth	376 mm
160 A series si ser (AQ AQ) *	Labels, Recycled paper	Height	299 mm
ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9)	A4, A5, A6 B5	Pallet dimensions (W x D x H)	1200 x 1000 x 2481 mm
ISO C-series sizes (C0C9)	C5, C6	Weight	11.5 kg
Non-ISO print media sizes	Oficio, 16K	Packaging data	
JIS B-series sizes (B0B9)	B5, B6	Package width	497 mm
Envelopes sizes	B5, C5, C6, DL	Package depth	398 mm
Photo paper sizes	10x15 cm	Package height	466 mm
Custom media width	76.2 - 215.9 mm	Package weight	14.3 kg
Custom media length	127 - 355.6 mm	Packaging content	
Paper tray media weight	60 - 200 g/m²	Included cartridge capacity (black)	5 pages
Ports & interfaces		Warranty card	<b>✓</b>
Standard interfaces	Ethernet, USB 2.0, Wireless LAN	Cables included	AC
Direct printing *	✓	Quick installation guide	1
USB port *	✓	Brand-specific features	
USB 2.0 ports quantity	3		
Network		HP ePrint	1
Network ready	✓	HP Auto-On/Auto-Off	(ABT) 192545078771; (ABY)
Wi-Fi *	×		192545078788; (ACQ)
Ethernet LAN *	<b>✓</b>	HP GTIN (EAN/UPC) with options	192545078795; (B13) 192545078801; (B19)
Ethernet LAN data rates	10,100,1000 Mbit/s		192545078801; (B19) 192545078818; (BAZ)
Security algorithms	SNMPv3, EAP-TLS, HTTPS, EAP-		192545078825
Security digorithms	PEAP, IPSec, FIPS 140, SSL/TLS	HP GTIN (EAN/UPC)	192545078771, 192545078788, 192545078795, 192545078801,
Mobile printing technologies	Google Cloud Print, Apple AirPrint, HP ePrint, Mopria Print Service	TII OTIIV (LANJOI C)	192545078818, 192545078825
Performance		Logistics data	
Internal memory *	512 MB	Harmonized System (HS) code	84433210
Maximum internal memory	1536 MB	Pallet gross weight	369.4 g
Memory slots	1	Layers per pallet	5 pc(s)
Built-in processor	<b>✓</b>	Products per pallet	30 pc(s)
Processor frequency	1200 MHz	Technical details	
Sound pressure level (printing)	55 dB	Master (outer) cases per pallet layer	r 6 pc(s)
Sound power level (printing)	6.9 dB	Other features	
Design		December ded as all as	2 GB available hard disk space,
Market positioning *	Business	Recommended system requirements	Internet connection, USB port,
Product colour *	White	·	Internet browser.
Built-in display *	✓	Recommended humidity operating range	30 - 70%
Display	LCD	Acoustic power emissions (ready)	39 dB
Colour display	✓	Acoustic pressure emissions	25 dB
		bystander (ready)	<b>-</b>





192545078818

0192545078818

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.