



## TP-Link RE200 võrgulaiendaja Võrguvõimendi Valge 10, 100 Mbit/s

Brand : TP-Link

Product code: RE200

Product name : RE200

TP-Link RE200. Tüüp: Võrguvõimendi, Andmeedastuskiirus: 433 Mbit/s, Ethernet LAN-i andmeedastuskiirused: 10,100 Mbit/s. Antenni tüüp: Sisemodem, Saatja võimsus (CE): 20 dbm. Kaabeldustechnoloogia: 10/100Base-T(X), Võrgustandardid: IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, WiFi-standardid: 802.11b, 802.11g, Wi-Fi 4 (802.11n). Toote värv: Valge, Kogus pakis: 1 tk. AC-sisendpinge: 100 - 240 V, AC-sisendsagedus: 50/60 Hz, Elektritarbimine (max): 6,5 W



Toimimine		Disain	
Tüüp *	Võrguvõimendi	Kogus pakis	1 tk
Andmeedastuskiirus	433 Mbit/s	Lähtestusnupp	✓
Ethernet LAN-i andmeedastuskiirused	10,100 Mbit/s	<b>Võimsus</b>	
WPS-nupp	✓	AC-sisendpinge	100 - 240 V
	Windows 2000, Windows 2000 Professional, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 98SE, Windows NT, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	AC-sisendsagedus	50/60 Hz
Toetatud Windowsi operatsioonisüsteemid		Elektritarbimine (max)	6,5 W
		<b>Töötingimused</b>	
		Kasutamistemperatuur (T-T)	0 - 40 °C
		Hoiustamistemperatuur (T-T)	-40 - 70 °C
		Suhteline õhuniiskus kasutamisel (H-H)	10 - 90 protsenti
		Suhteline õhuniiskus (H-H) hoiustamisel	5 - 90 protsenti
		<b>Kaal ja mõõtmed</b>	
		Laius	110 mm
		Sügavus	65,8 mm
		Kõrgus	75,2 mm
		<b>Tehnilised andmed</b>	
		Vastavussertifikaadid	CE, Föderaalne kommunikatsioonikomisjon (FCC), RoHS
		<b>Pakendi sisu</b>	
		Kaablid kaasa arvatud	LAN (RJ-45)
		Kiirstarti juhend	✓
		<b>Pakendi andmed</b>	
		Pakendi tüüp	Karp
		Pakendi laius	156,5 mm
Mac-ühilduvus	✓		
Toetatud Maci operatsioonisüsteemid	✓		
Toetatud Linuxi operatsioonisüsteemid	✓		

<b>Antenn</b>		<b>Pakendi andmed</b>	
Antennide arv	3	Pakendi sügavus	101,5 mm
Antenni tüüp	Sisemodem	Pakendi kõrgus	89 mm
Saatja võimsus (CE)	20 dbm	Pakendi kaal	190 g
<b>Võrgustumine</b>		<b>Logistika andmed</b>	
Kaabeldustehnoloogia	10/100Base-T(X)	Harmonized System (HS) kood	85176990
Võrgustandardid	IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n		
WiFi	✓		
WiFi-standardid	802.11b, 802.11g, Wi-Fi 4 (802.11n)		
WiFi andmeedastuskiirus (maksimaalne)	433 Mbit/s		
Wi-Fi laineala	Kaks sagedusala (2,4 GHz / 5 GHz)		
Turvaalgoritmid	64-bit WEP, 128-bit WEP, 152-bit WEP, WPA-PSK, WPA2-PSK		
<b>Pesad &amp; liidesed</b>			
Ethernet LAN (RJ-45) pordid	1		
<b>Disain</b>			
Toote värv	Valge		
LED-indikaatorid	✓		



6935364071882



6935364071295

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-AUG-2024. Prints or copies of Information are only valid on the printed Publication date