



AOC P2 24P2Q LED display 60,5 cm (23.8") 1920 x 1080 pikslit Full HD Must

Brand : AOC

Product family: P2

Product code: 24P2Q

Product name : 24P2Q

AOC P2 24P2Q. Ekraani diagonaal: 60,5 cm (23.8"), Ekraani resolutsioon: 1920 x 1080 pikslit, HD tüüp: Full HD, Ekraani tehnoloogia: LED, Ekraani pind: Matt, Reaktsiooniaeg: 4 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. Sisseehitatud kõlar(id). Sisseehitatud USB-jaotur, USB-jaoturi versioon: 3.2 Gen 1 (3.1 Gen 1). VESA paigaldamine, Kõrguse reguleerimine. Toote värv: Must




Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	Headphone out *	✓
Display resolution *	1920 x 1080 pixels	Headphone connectivity	3.5 mm
HD type *	Full HD	Microphone in	✓
Native aspect ratio *	16:9	Ergonomics	
Display technology *	LED	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
Backlight type	W-LED	Cable lock slot *	✓
Touchscreen *	✗	Cable lock slot type	Kensington
Display brightness (typical)	300 cd/m ²	Height adjustment *	✓
Response time *	4 ms	Adjustable height (max)	15 cm
Display surface	Matt	Pivot	✓
Anti-glare screen	✓	Pivot angle	0 - 180°
Screen shape *	Flat	Swivel angle range	-180 - 180°
Supported graphics resolutions	1920 x 1080 (HD 1080)	Tilt adjustment	✓
Supported video modes	1080p	Tilt angle range	-5 - 35°
Contrast ratio (typical) *	1000:1	On Screen Display (OSD)	✓
Contrast ratio (dynamic)	50000000:1	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Maximum refresh rate *	75 Hz	Number of OSD languages	16
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Energy efficiency class (SDR) *	E
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000 hours *	17 kWh
Pixel pitch	0.2745 x 0.2745 mm	Power consumption (typical) *	14.58 W
Pixel density	92 ppi	Power consumption (standby) *	0.3 W
Horizontal scan range	30 - 85 kHz	Power consumption (off)	0.3 W
Viewable size, horizontal	52.7 cm	AC input voltage	100 - 240 V
Viewable size, vertical	29.6 cm	AC input frequency	50 - 60 Hz
Digital horizontal frequency	30 - 85 kHz	Energy efficiency scale	A to G
Display diagonal (metric)	60.452 cm	European Product Registry for Energy Labelling (EPREL) code	419849
Surface hardness	3H		
Colour depth	8 bit		
Colour gamut standard	sRGB		
sRGB coverage (typical)	107%		
NTSC coverage (typical)	72%		
Adobe RGB coverage	79%		
Display scanning frequency	VGA/DVI/HDMI 1.4/DP 1.2: 30 - 85 KHz (H), VGA/DVI/HDMI 1.4/DP 1.2: 48 - 75 Hz (V)		

Performance		Weight & dimensions	
NVIDIA G-SYNC *	✗	Width (with stand)	540.2 mm
AMD FreeSync *	✓	Depth (with stand)	200.1 mm
AMD FreeSync refresh rate range	48 - 75 Hz	Height (with stand)	513 mm
Fast charging	✓	Weight (with stand)	4.75 kg
Flicker-free technology	✓	Width (without stand)	540.2 mm
Low Blue Light technology	✓	Depth (without stand)	50.7 mm
Multimedia		Packaging data	
Number of speakers	2	Package width	610 mm
RMS rated power	2 W	Package depth	160 mm
Built-in speaker(s) *	✓	Package height	525 mm
Built-in microphone	✗	Package weight	6.89 kg
Built-in camera *	✗	Package type	Box
Design		DVI cable length	1.8 m
Market positioning *	Business	VGA cable length	1.8 m
Product colour *	Black	Packaging content	
Frameless design	✓	Stand included	✓
Front bezel colour	Black	Cables included	Audio (3.5mm), DVI, DisplayPort, HDMI, VGA
Detachable stand	✓	Audio cable length	1.8 m
Feet colour	Black	DisplayPort cable length	1.8 m
Ports & interfaces		HDMI cable length	1.8 m
Built-in USB hub *	✓	Power cable length	1.8 m
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability	
USB Type-A downstream ports quantity	4	Sustainability certificates	EPEAT Silver
VGA (D-Sub) ports quantity	1	Doesn't contain	PVC/BFR
DVI port	✓	Other features	
HDMI *	✓	Compatibility	VESA-P2
HDMI ports quantity	1	Exterior finish type	Textured
HDMI version	1.4	Recyclable packaging material	100%
DisplayPorts quantity	1	Heavy metals free	Hg (mercury)
DisplayPort version	1.2	Light effects	✗
Audio input	✓	Certification	True
		Recycling data	
		Post-consumer recycled plastic	85%
		Logistics data	
		Harmonized System (HS) code	85285210



4038986147293



4717385946026

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.