



TP-Link TL-SF1005LP võrgulüliti Mittejuhitav Fast Ethernet (10/100) Power over Ethernet tugi Must

Brand : TP-Link

Product code: TL-SF1005LP

Product name : TL-SF1005LP

TP-Link TL-SF1005LP. Lüliti tüüp: Mittejuhitav. RJ-45 Etherneti ühenduse pesade tüüp: Fast Ethernet (10/100), RJ-45 Etherneti ühenduse pesade arv: 5. Täisdupleks. MAC-aadresside tabel: 2000 sisestust, Lülitusvõime: 1 Gbit/s. Võrgustandardid: IEEE 802.3af, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Power over Ethernet tugi



Management features		Power	
Switch type *	Unmanaged	AC input frequency	50 Hz
Ports & interfaces		Input current	0.81 A
Basic switching RJ-45 Ethernet ports quantity *	5	Input voltage	53.5 V
Basic switching RJ-45 Ethernet ports type *	Fast Ethernet (10/100)	Power consumption (max)	47 W
Network		Power over Ethernet (PoE)	
Networking standards *	IEEE 802.3af, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE) *	✓
10G support *	✗	Power over Ethernet (PoE) ports quantity	4
Copper ethernet cabling technology	10BASE-T, 100BASE-TX	Total Power over Ethernet (PoE) budget	41 W
Cable types supported	Cat3, Cat4, Cat5, Cat5e	Operational conditions	
Full duplex	✓	Operating temperature (T-T)	0 - 40 °C
Half duplex	✓	Storage temperature (T-T)	-40 - 70 °C
Flow control support	✓	Operating relative humidity (H-H)	10 - 90%
Auto MDI/MDI-X	✓	Storage relative humidity (H-H)	5 - 90%
Auto-negotiation	✓	Heat dissipation	160.27 BTU/h
MAC address auto-aging supported	✓	Weight & dimensions	
Data transmission		Width	100 mm
Switching capacity *	1 Gbit/s	Depth	98 mm
Forwarding rate	0.744 Mpps	Height	25 mm
MAC address table *	2000 entries	Packaging content	
Store-and-forward	✓	User guide	✓
Jumbo frames support	✓	Packaging data	
Jumbo frames	2000	AC adapter included	✓
		Package width	131 mm
		Package depth	196 mm
		Package height	121 mm

Design		Packaging data	
Rack mounting *	✘	Package weight	740 g
Product colour	Black	Sustainability	
LED indicators	✔	Sustainability compliance	✔
Performance		Certificates	
Fanless	✔	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Power		Logistics data	
Power source *	DC/PoE	Harmonized System (HS) code	85176990
Power supply included *	✔		
AC input voltage	220 V		



6935364052782



6935364052799

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.