



Dahua Technology DH-HAC HAC-HFW1800TL-A-0360B turvakaamera Kuul (kuju) IP süsteemiga turvakaamera Hooneväline 3840 x 2160 pikslit Lagi/sein

Brand : Dahua Technology

Product family: DH-HAC

Product code: HAC-
HFW1800TL-A-0360B



Product name : HAC-
HFW1800TL-A-0360B

Dahua Technology DH-HAC HAC-HFW1800TL-A-0360B. Tüüp: IP süsteemiga turvakaamera, Toetatud paigutus: Hooneväline, Ühenduvustehnoloogia: Juhtmega ühendatud. Kinnituse tüüp: Lagi/sein, Toote värv: Valge, Toote kuju: Kuul (kuju). Minimaalne valgustus: 0,03 lx, Kaldenurk: 0 - 180°, Liikumisulatus: 0 - 360°. Anduri tüüp: CMOS, Optilise sensori suurus: 25,4 / 2,7 mm (1 / 2.7"). Digitaalne suum: 4x, Märkamiskaugus: 160 m, Jälgimiskaugus: 64 m

Performance		Night vision	
Type *	IP security camera	LED type	IR
Placement supported *	Outdoor	Number of illumination LEDs	2
Connectivity technology *	Wired	Video	
Wide Dynamic Range (WDR)	✔	Maximum resolution *	3840 x 2160 pixels
Certification	CE (EN55032, EN55024, EN50130-4,EN60950-1) FCC (CFR 47 FCC Part 15 subpartB, ANSI C63.4-2014) UL (UL60950-1+CAN/CSA C22.2 No.60950-1)	Supported graphics resolutions	960 x 480, 960 x 576, 2560 x 1440, 2592 x 1944, 3840 x 2160
		Video recording	✔
		Noise reduction	✔
		Noise reduction technology	2D noise reduction
		Privacy masking	✔
Design		Network	
Form factor *	Bullet	Wi-Fi *	✗
Mounting type *	Ceiling/wall	Bluetooth *	✗
Product colour *	White		
International Protection (IP) code	IP67		
Camera		Storage	
Minimum illumination	0.03 lx	Built-in HDD *	✗
Tilt angle range	0 - 180°		
Pan range	0 - 360°	Security	
Image sensor		Mirror	✔
		Power	
Number of sensors	1	Power source type *	DC
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	Power consumption (max)	6 W
Progressive scan	✔	DC output voltage	12
Sensor type *	CMOS		
Panoramic camera		Operational conditions	
Number of Privacy masking areas (panoramic camera)	8	Operating temperature (T-T)	-40 - 60 °C
		Storage temperature (T-T)	-40 - 60 °C
Lens system		Operating relative humidity (H-H)	0 - 95%
Zoom capability	✔	Storage relative humidity (H-H)	0 - 95%
		Weight & dimensions	
Digital zoom	4x	Width	198.9 mm
Detect distance	160 m	Depth	80.2 mm
Observe distance	64 m	Height	76.2 mm
Recognize distance	32 m	Weight	280 g
Maximum aperture number	2		
Closest focusing distance	1 m	Packaging data	
Night vision		Package weight	420 g
Night vision *	✔	Packaging content	
Night vision distance	80 m	Number of cameras *	1



6939554972867

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 02-JAN-2025. Prints or copies of Information are only valid on the printed Publication date