



TP-Link Archer C80 juhtmevaba ruuter Gigabit Ethernet Kaks sagedusala (2,4 GHz / 5 GHz) Must

Brand : TP-Link

Product code: ARCHER C80 V1

Product name : Archer C80

TP-Link Archer C80. WAN-ühenduse tüüp: RJ-45. Wi-Fi laineala: Kaks sagedusala (2,4 GHz / 5 GHz), Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN edastuskiirus (max): 1300 Mbit/s. Ethernet LAN-liidese tüüp: Gigabit Ethernet, Ethernet LAN-i andmeedastuskiirused: 10,100,1000 Mbit/s, Kaabeldustehnoloogia: 10/100/1000Base-T(X). Turvaalgoritmid: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK. Toote tüüp: Laua peale asetatav ruuter, Toote värv: Must, LED-indikaatorid: LAN, Võimsus, Staatus, WLAN, WPS



WAN-ühendus		Turvalisus	
Ethernet WAN *	✓	MAC-aadresside filtreerimine	✓
DSL WAN *	✗	URL-i filtreerimine	✓
SIM kaardi ava *	✗	DMZ-tugi	✓
3G/4G USB modemi ühilduvus *	✗		
WAN-ühenduse tüüp	RJ-45		
Juhtmevaba LAN-i omadused		Protokollid	
Wi-Fi laineala *	Kaks sagedusala (2,4 GHz / 5 GHz)	DHCP-klient	✓
Wi-Fi standard *	Wi-Fi 5 (802.11ac)	DHCP-server	✓
WLAN edastuskiirus (max) *	1300 Mbit/s	Universaalne Plug and Play (UPnP)	✓
WiFi-standardid	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)		
WLAN edastuskiirus (esimene laineala)	1300 Mbit/s		
WLAN edastuskiirus (teine laineala)	600 Mbit/s		
Võrgustumine		Disain	
Ethernet LAN *	✓	Toote värv	Must
Ethernet LAN-liidese tüüp *	Gigabit Ethernet	Seinale kinnitav	✓
Ethernet LAN-i andmeedastuskiirused	10,100,1000 Mbit/s	LED-indikaatorid	LAN, Võimsus, Staatus, WLAN, WPS
Kaabeldustehnoloogia	10/100/1000Base-T(X)	Sisse/välja lüüti	✓
Võrgustandardid	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Toote tüüp *	Laua peale asetatav ruuter
Portide suunamine	✓		
Pordi aktiveerimine	✓		
Dünaamiline DNS (DDNS)	✓		
Külalisvõrkude arv (2,4 GHz)	1		
Külalisvõrkude arv (5 GHz)	1		
		Pakendi sisu	
		Kaablid kaasa arvatud	Vahelduvvool, LAN (RJ-45)
		AC-adaptori kaasa arvatud	✓
		Kiirpaigaldusjuhend	✓
		Antenn	
		Antenni kujundus *	Väline
		Antennide arv	4
		Saatmisvõimsus	CE: <20dBm(2.4 GHz), <23dBm(5.15 GHz~5.25 GHz), FCC:<30dBm(2.4 GHz & 5 GHz)
		Funktsioonid	
		Sertifikaat	CE, FCC, RoHS
		Võimsus	
		Toiteallika tüüp *	DC (alalisvool)
		Väljundpinge	12 V
		Väljundvool	1 A

Võrgustumine		Töötingimused	
Vastuvõtja tundlikkus	5 GHz: 11a 6Mbps:-98dBm, 11a 54Mbps:-78dBm, 11ac VHT20_MCS0:-98dBm, 11ac VHT20_MCS8:-72dBm 11ac VHT40_MCS0:-92dBm, 11ac VHT40_MCS9:-68dBm 11ac VHT80_MCS0:-89dBm, 11ac VHT80_MCS9:-64dBm	Kasutamistemperatuur (T-T)	0 - 40 °C
	2.4 GHz: 11g 6Mbps:-97dBm, 11a 54Mbps:-77dBm 11n VHT20_MCS0:-97dBm, 11n VHT20_MCS8:-72dBm 11n VHT40_MCS0:-92dBm, 11n VHT40_MCS9:-67dBm	Hoiustamistemperatuur (T-T)	-40 - 70 °C
		Suhteline õhuniiskus kasutamisel (H-H)	10 - 90 protsenti
		Suhteline õhuniiskus (H-H) hoiustamisel	5 - 90 protsenti
Mobiilivõrk		Süsteeminõuded	
3G	✘	Brauseritugi	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0
4G	✘		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 98SE, Windows NT, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Pesad & liidesed		Toetatud Windowsi operatsioonisüsteemid	
Ethernet LAN (RJ-45) pordid *	4	Toetatud Linuxi operatsioonisüsteemid	✓
USB port *	✘	Toetatud Maci operatsioonisüsteemid	macOS
Mälukaardi pesa(d)	✘	Mac-ühilduvus	✓
DC-pistik	✓	Kaal ja mõõtmed	
Juhtimisfunktsioonid		Laius	215 mm
Wi-Fi multimeedia (WMM)/(WME)	✓	Sügavus	117 mm
Teenusekvaliteedi (QoS) tugi	✓	Kõrgus	32 mm
Lähtestusnupp	✓	Pakendi andmed	
WPS-nupp	✓	Pakendi laius	350 mm
Tehnoloogia MU-MIMO	✓	Pakendi sügavus	240 mm
Turvalisus		Pakendi kõrgus	82 mm
Turvaalgoritmid	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK	Pakendi kaal	800 g
Tulemüür	✓	Logistika andmed	
Külalise juurdepääs	✓	Harmonized System (HS) kood	85176990
Pääsuloend (ACL)	✓		
Stateful Packet Inspection (SPI)	✓		
Vanemlik kontroll	✓		



6935364053253



0845973088873



845973088873

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.