NOC

AOC B2 24B2XH/EU LED display 60,5 cm (23.8") 1920 x 1080 pikslit Full HD Must

Brand : AOC Product family: B2 Product code: 24B2XH/EU

Product name: 24B2XH/EU

AOC B2 24B2XH/EU. Ekraani diagonaal: 60,5 cm (23.8"), Ekraani resolutsioon: 1920 x 1080 pikslit, HD tüüp: Full HD, Ekraani tehnoloogia: LED, Ekraani pind: Matt, Reaktsiooniaeg: 4 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. VESA paigaldamine. Toote värv: Must





| Display | | Ports & interfaces | |
|--|--|---|---|
| Display diagonal * | 60.5 cm (23.8") | DC-in jack | ✓ |
| Display resolution * | 1920 x 1080 pixels | Ergonomics | |
| HD type * | Full HD | VESA mounting * | 1 |
| Native aspect ratio * | 16:9 | • | |
| Display technology * | LED | Panel mounting interface | 100 x 100 mm |
| Panel type * | IPS | Cable lock slot * | ✓ |
| Backlight type | W-LED | Cable lock slot type | Kensington |
| Touchscreen * | × | Height adjustment * | × |
| Display brightness (typical) | 250 cd/m ² | Pivot | × |
| Response time * | 4 ms | Tilt adjustment | ✓ |
| Display surface | Matt | Tilt angle range | -5 - 20° |
| Screen shape * | Flat | On Screen Display (OSD) | 1 |
| Supported graphics resolutions | 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1920 x 1080 (HD 1080) | on sereen bisplay (osb) | Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, |
| Supported video modes | 720p, 768p, 1080p | On Screen Display (OSD) languages | |
| Aspect ratio | 4:3, 16:9 | On Screen Display (OSD) languages | |
| Contrast ratio (typical) * | 1000:1 | | Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian |
| Contrast ratio (dynamic) | 20000000:1 | Number of OSD languages | 16 |
| Maximum refresh rate * | 75 Hz | Plug and Play | ✓ |
| Viewing angle, horizontal | 178° | , | • |
| Viewing angle, vertical | 178° | Power | |
| Display number of colours * | 16.7 million colours | Energy efficiency class (SDR) * | E |
| Pixel pitch | 0.2745 x 0.2745 mm | Energy efficiency class (HDR) * | E |
| Horizontal scan range | 30 - 83 kHz | Energy consumption (SDR) per 1000 | 17 kWh |
| Vertical scan range | 50 - 76 Hz | hours * | |
| Viewable size, horizontal Viewable size, vertical | 52.7 cm 29.6 cm | Energy consumption (HDR) per 1000 hours * | 17 kWh |
| Viewable size diagonal | 29.6 cm | Power consumption (typical) * | 19 W |
| Digital horizontal frequency | 31 - 83 kHz | Power consumption (standby) * | 0.3 W |
| Display diagonal (metric) | 60.452 cm | Power consumption (off) | 0.3 W |
| Surface hardness | 3H | AC input voltage | 100 - 240 V |
| Colour depth | 8 bit | AC input frequency | 50 - 60 Hz |
| Colour gamut standard | sRGB | Energy efficiency scale | A to G |
| sRGB coverage (typical) | 106% | External power adapter | ✓ |
| - ·· | 72% | Weight & dimensions | |
| NTSC coverage (typical) Adobe RGB coverage | 78% | _ | 520 5 |
| | 1070 | Width (with stand) | 539.5 mm |
| | | Depth (with stand) | 170.9 mm |
| | | Height (with stand) | 418.4 mm |

| Performance | | Weight & dimensions |
|--|---|--|
| MD FreeSync * X Wi ast charging X He | Weight (with stand) 2.7 kg Width (without stand) 539.5 mm Depth (without stand) 37.6 mm Height (without stand) 320.9 mm | |
| Flicker-free technology Low Blue Light technology | v | Packaging data |
| Multimedia | • | Package width 592 mm Package depth 106 mm |
| Built-in speaker(s) * Built-in microphone Built-in camera * | × × × | Package height 467 mm Package weight 4.5 kg Package type Box |
| Design | | Packaging content |
| Market positioning * Product colour * Frameless design Front bezel colour Detachable stand | Home Black ✓ Black × | Stand included Cables included Power adapter included HDMI HDMI cable length Power cable length 1.8 m |
| Feet colour | Black | Sustainability |
| Ports & interfaces | | Sustainability certificates ENERGY STAR |
| Built-in USB hub * VGA (D-Sub) ports quantity | x 1 | Other features Exterior finish type Textured |
| DVI port HDMI * HDMI ports quantity HDMI version Audio input Headphone out * | 1 1.4 × | Exterior finish type Recyclable packaging material Heavy metals free Compliance certificates Mean time between failures (MTBF) Light effects Certification Textured 100% Hg (mercury) 50000 h X |
| Headphone outputs | 1 | Logistics data |
| Headphone connectivity | 3.5 mm | Harmonized System (HS) code 85285210 |





4038986147170

5715063417157

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.