



Canon i-SENSYS LBP6030B 2400 x 600 DPI A4

Brand : Canon

Product family: i-SENSYS

Product code: 8468B042

Product name : LBP6030B

Canon i-SENSYS LBP6030B. Printimistehnoloogia: Laser. Prindikassetide arv: 1, Maksimaalne käidutsüklitel: 5000 lehekülge kuu kohta. Maksimaalne resolutsioon: 2400 x 600 DPI. Maksimaalne ISO A-seeria paberi suurus: A4. Printimiskiirus (must-valge, tavakvaliteet, A4/US Letter-formaat): 18 lk/min. Toote värv: Must



Printimine		Pesad & liidesed	
Värv *	✗	USB 2.0 portide arv	1
Printimistehnoloogia *	Laser	Võrgustumine	
Kahepoolne printimine *	✗	WiFi *	✗
Maksimaalne resolutsioon *	2400 x 600 DPI	Ethernet LAN *	✗
Printimiskiirus (must-valge, tavakvaliteet, A4/US Letter-formaat) *	18 lk/min	Toimimine	
Soojenemisaeg	10 s	Sisemälu *	32 MB
Aeg esimese leheküljeni (must, tavaline)	7,8 s	Sisesehitatud protsessor	✗
Printimisveerised (ülemine, alumine, parem, vasak)	5 mm	Disain	
Funktsioonid		Toote värv *	Must
Maksimaalne käidutsüklitel *	5000 lehekülge kuu kohta	Sisesehitatud ekraan *	✗
Printimisvärvid *	Must	Võimsus	
Prindikassetide arv *	1	Võimsustarve (printimisel) *	330 W
Lehe kirjelduse keeled *	UFRII-LT	Elektritarbimine (max)	870 W
Sisendi ja väljundi võimsus		Võimsustarve (ooterežiim)	1,8 W
Sisestussalvide koguarv *	1	AC-sisendpinge	220 - 240 V
Sisendvõimsus kokku *	150 lehte	AC-sisendsagedus	50 - 60 Hz
Väljundvõimsus kokku *	100 lehte	Süsteeminõuded	
Paberikassett		Toetatud Windowsi operatsioonisüsteemid	✓
Maksimaalne ISO A-seeria paberi suurus *	A4	Toetatud Maci operatsioonisüsteemid	✓
Paberisalve kandja tüübid *	Ümbrikud, Tugev paber, Sildid, Tavaline paber, Läbinähtavused	Toetatud Linuxi operatsioonisüsteemid	✓
ISO A-seeria suurus (A0...A9) *	A4, A5	Toetatud serverioperatsioonisüsteemid	Windows Server 2003, Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2
ISO B-seeria suurus (B0...B9)	B5	Töötingimused	
Ümbriku suurus	C5, DL, Monarch	Kasutamistemperatuur (T-T)	10 - 30 °C
Kohandatud meediumi laius	76,2 - 216 mm	Suhteline õhuniiskus kasutamisel (H-H)	20 - 80 protsenti
Kohandatud meediumi pikkus	188 - 356 mm	Kaal ja mõõtmed	
Mitmeotstarbelise salve meedia kaal	60 - 163 g/m²	Laius	364 mm
Pesad & liidesed		Sügavus	249 mm
Standardliidesed	USB 2.0	Kõrgus	199 mm

Kaal ja mõõtmed	
Kaal	5 kg
Logistika andmed	
Harmonized System (HS) kood	84433210



8714574661445

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-AUG-2024. Prints or copies of Information are only valid on the printed Publication date