



Dahua Technology Lite DHI-NVR4104HS-4KS2/L 1U Must

Brand : Dahua Technology

Product family: Lite

Product code:
NVR4104HS-4KS2/L

Product name : DHI-NVR4104HS-4KS2/L



Dahua Technology Lite DHI-NVR4104HS-4KS2/L. Video sisendkanalid: 4 kanalid, Maksimaalne resolutsioon: 3840 x 2160 pikslit, Samaaegselt esitatavate kanalite arv: 4 kanalid. Maksimaalne salvestusmaht: 10 TB, Kõvaketta liides: SATA III. Ethernet LAN-i andmeedastuskiirused: 10,100 Mbit/s, Toetatud võrguprotokollid: HTTP; HTTPS; TCP/IP; IPv4/IPv6; UPnP; SNMP; RTSP; UDP; SMTP; NTP; DHCP; DNS; IP Filter; DDNS; FTP;.... Püstiku mahutavus: 1U, Toote värv: Must, Sertifikaat: CE: EN62368-1; EN55032,EN55024, EN55035, EN61000-3-2, EN61000-3-3 EN50130-4 FCC: Part 15 Subpart B. AC-sisendpinge: 12 V



Toimimine		Funktsioonid	
Video sisendkanalid *	4 kanalid	Püstikmontaaž	✓
Samaaegselt esitatavate kanalite arv	4 kanalid	Püstiku mahutavus	1U
Maksimaalne resolutsioon *	3840 x 2160 pikslit	Toote värv	Must
Video liikumisandur	✓	Sertifikaat	CE: EN62368-1; EN55032,EN55024, EN55035, EN61000-3-2, EN61000-3-3 EN50130-4 FCC: Part 15 Subpart B
Multiekraan	✓		
Toetatud audioformaadid	AAC, G.711 A-law, G.726, PCM		
Toetatud videoformaadid	H.264, H.265, M-JPEG		
Installitud operatsioonisüsteem	Kaasas LINUX		
Varundamise funktsioon	✓		
Taasesitusrežiimid	Varukoopia valik, Digital zoom, Frame by Frame, Täisekraan, Paus, Play, Tagurpidi, Slow play, Stoptuli		
Sisendi ribalaius	80 Mbit/s		
		Protsessor	
		Sisseehitatud protsessor	✓
		Võimsus	
		AC-sisendpinge	12 V
		Süsteeminõuded	
		Toetatud mobiilsed operatsioonisüsteemid	Android, iOS
		Brauseritugi	Chrome; IE9+; Firefox
		Töötingimused	
		Kasutamistemperatuur (T-T)	-10 - 55 °C
		Suhteline õhuniiskus kasutamisel (H-H)	10 - 93 protsenti
		Hoiustamistemperatuur (T-T)	0 - 40 °C
		Suhteline õhuniiskus (H-H) hoiustamisel	30 - 85 protsenti
		Kaal ja mõõtmed	
		Laius	260 mm
		Sügavus	232,5 mm
		Kõrgus	50,3 mm
		Kaal	810 g
		Pakendi laius	89 mm
		Pakendi sügavus	333 mm
		Pakendi kõrgus	315 mm
		Pakendi kaal	1,41 kg

Pesad & liidesed

Toetatud võrguprotokollid

- HTTP; HTTPS; TCP/IP; IPv4/IPv6;
- UPnP; SNMP; RTSP; UDP; SMTP; NTP;
- DHCP; DNS; IP Filter; DDNS; FTP;
- Alarm Server; IP Search (Support Dahua IP camera; DVR; NVS; etc.);
- P2P; auto register



6939554981494

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-AUG-2024. Prints or copies of Information are only valid on the printed Publication date