



Dahua Technology DH-HAC HAC-HFW1231TM-I8-A-0360B turvakaamera Kuul (kuju) CCTV turvakaamera Hoonesisene & hooneväline 1920 x 1080 pikslit Lagi/sein/post

Brand : Dahua Technology

Product family: DH-HAC

Product code: HAC-
HFW1231TM-I8-A-0360B



Product name : HAC-
HFW1231TM-I8-A-0360B

Dahua Technology DH-HAC HAC-HFW1231TM-I8-A-0360B. Tüüp: CCTV turvakaamera, Toetatud paigutus: Hoonesisene & hooneväline, Ühenduvustehnoloogia: Juhtmega ühendatud. Kinnituse tüüp: Lagi/sein/post, Toote värv: Valge, Toote kuju: Kuul (kuju). Minimaalne valgustus: 0,002 lx, Rotatsiooni nurk: 360°, Kaldenurk: 0 - 90°. Anduri tüüp: CMOS, Optilise sensori suurus: 25,4 / 2,8 mm (1 / 2.8"), Tegelik sensori resolutsioon: 2 pikslit. Märkamiskaugus: 110,3 m, Jälgimiskaugus: 44,1 m, Äratundmiskaugus: 22,1 m



Performance		Video	
Type *	CCTV security camera	Frame rate	30 fps
Placement supported *	Indoor & outdoor	Video streaming	✓
Connectivity technology *	Wired	Noise reduction	✓
Wide Dynamic Range (WDR)	✓	Noise reduction technology	3D noise reduction
Day/night mode	✓	Gain control type	Auto/Manual
Dynamic range	65 dB	Privacy masking	✓
Design		Back Light Compensation (BLC)	✓
Form factor *	Bullet	Highlight Compensation (HLC)	✓
Mounting type *	Ceiling/Wall/Pole	Digital Wide Dynamic Range (DWDR)	✓
Product colour *	White	Region of Interest (ROI) encoding	✓
Housing material	Metal	Network	
Camera		Ethernet LAN *	✓
Minimum illumination	0.002 lx	Ethernet interface type	Fast Ethernet
Angle of rotation	360°	Wi-Fi *	✗
Tilt angle range	0 - 90°	Bluetooth *	✗
Pan range	0 - 360°	Storage	
Camera shutter type	Electronic	Built-in HDD *	✗
Camera shutter speed	1/25 s-1/100,000	Compatible memory cards	MicroSD (TransFlash)
Image sensor		Ports & interfaces	
Number of sensors	1	BNC output ports	1
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Security	
Effective sensor resolution	2 pixels	Video motion detection	✓
Progressive scan	✓	Mirror	✓
Sensor type *	CMOS		
Number of effective pixels (H x V)	1920 x 1080 pixels		
Lens system			
Number of lenses *	4		

Lens system		Power	
Detect distance	110.3 m	Power source type *	DC
Observe distance	44.1 m	DC output voltage	12
Recognize distance	22.1 m	Operational conditions	
Maximum aperture number	1.6	Operating temperature (T-T)	-40 - 60 °C
Identify distance	11 m	Storage temperature (T-T)	-40 - 60 °C
Night vision		Operating relative humidity (H-H)	0 - 95%
Night vision *	✓	Weight & dimensions	
Video		Width	240.7 mm
Maximum resolution *	1920 x 1080 pixels	Depth	90.7 mm
Total megapixels *	2 MP	Height	90.4 mm
Supported graphics resolutions	960 x 480, 960 x 576, 1920 x 1080 (HD 1080)	Weight	650 g
Supported video modes	1080p	Packaging content	
		Number of cameras *	1



6923172506719

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 02-JAN-2025. Prints or copies of Information are only valid on the printed Publication date