

ASUS ZenWiFi AX Hybrid (XP4) (1-PK) Kaks sagedusala (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Valge 2 Sisemodem

Brand : ASUS

Product code: 90IG05T0-BM9100

Product name : ZenWiFi AX Hybrid (XP4) (1-PK)

ASUS ZenWiFi AX Hybrid (XP4) (1-PK). Toote värv: Valge, Antenni tüüp: Sisemodem, LED-indikaatorid: Võimsus, Staatus. Wi-Fi laineala: Kaks sagedusala (2,4 GHz / 5 GHz), Wi-Fi standard: Wi-Fi 6 (802.11ax), WiFi-standardid: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Protsessori sagedus: 1,2 GHz, Sisemälu: 512 MB, Välmälu: 256 MB. AC-adapteri sisendpinge: 110 - 240 V, AC-adapteri sagedus: 50 - 60 Hz. Laius: 148 mm, Sügavus: 71 mm, Kõrgus: 208 mm



Disain		Funktsioonid	
Toote värv *	Valge	Portide suunamine	✓
LED-indikaatorid	Võimsus, Staatus	BeamForming	✓
Antenni tüüp *	Sisemodem	Toetatud mobiilsed operatsioonisüsteemid	Android, iOS
Antennide arv	4	Vanemlik kontroll	✓
Lähtestusnupp	✓	SSID-levi	✓
Juhtmevaba LAN-i omadused		Tehnoloogia MU-MIMO	✓
Wi-Fi laineala *	Kaks sagedusala (2,4 GHz / 5 GHz)	Protokollid	
Wi-Fi standard *	Wi-Fi 6 (802.11ax)	DHCP-server	✓
WiFi-standardid	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Pesad & liidesed	
WLAN edastuskiirus (esimene laineala)	574 Mbit/s	Ethernet LAN (RJ-45) pordid *	2
WLAN edastuskiirus (teine laineala)	1201 Mbit/s	Ethernet WAN	✓
Võrgustandardid	IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Võimsus	
Turvaalgoritmid	SSH	AC-adapteri sisendpinge	110 - 240 V
Staatiline IP	✓	AC-adapteri sagedus	50 - 60 Hz
IGMP-jälgimine	✓	Logistika andmed	
Dünaamiline DNS (DDNS)	✓	Harmonized System (HS) kood	85171800
Külalise juurdepääs	✓	Kaal ja mõõtmed	
VPN-tugi	VPN Client L2PT VPN Client OVPN VPN Client PPTP VPN Server IPsec VPN Server OVPN VPN Server PPTP	Laius	148 mm
Funktsioonid		Sügavus	71 mm
Sisseehitatud protsessor	✓	Kõrgus	208 mm
Protsessorituumad	4	Kaal	670 g
Protsessori sagedus	1,2 GHz	Pakendi laius	267 mm
Sisemälu	512 MB	Pakendi sügavus	90 mm
		Pakendi kõrgus	259 mm
		Pakendi kaal	1,43 kg

Funktsioonid		Pakendi sisu	
Välkmälu	256 MB	Kaasnevate toodete arv	1 tk
Teenusekvaliteedi (QoS) tugi	✓	Ethernet-kaabel	✓



4718017733557

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-AUG-2024. Prints or copies of Information are only valid on the printed Publication date