



TP-Link 2.4GHz 300Mbps 9dBi Outdoor CPE 300 Mbit/s Valge Power over Ethernet tugi

Brand : TP-Link

Product code: CPE210

Product name : 2.4GHz 300Mbps 9dBi Outdoor CPE

TP-Link 2.4GHz 300Mbps 9dBi Outdoor CPE. 2,4 GHz, Andmete edastamise maksimaalne määr: 300 Mbit/s. Turvaalgoritmid: 64-bit WEP, 128-bit WEP, 152-bit WEP, SSID, TKIP, WPA, WPA-PSK, WPA2, WPA2-PSK. Power over Ethernet tugi. Toote värv: Valge. Elektriarbimine (max): 10,5 W



Funktsioonid		Disain	
2,4 GHz *	✓	Paigutus *	Sein
5 GHz *	✗	Toote värv *	Valge
Andmete edastamise maksimaalne määr *	300 Mbit/s	Rahvusvahelise kaitse (IP) kood	IPX5
Maksimaalne andmeedastuskiirus (2.4 GHz)	300 Mbit/s	Lähtestusnupp	✓
Sagedusriba	2.4 - 2.483 GHz	LED-indikaatorid	✓
Ribalaius	2,4 GHz	Sertifikaat	- FCC/UL/IC/GS/PSB/C-tick/SAA/S-Mark/KC-mark - RoHS, IPX5
Võrgustandardid	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Antenn	
MIMO	✓	Antenni tüüp *	Sisemodem
MIMO tüüp	Multi User MIMO	Antenni elemendid	Integreeritud antenn
Maksimaalne leviala väljas	5000 m	Antennide arv	1
Vastuvõtja tundlikkus	802.11b: 11M: -95dBm, 5.5M: -96dBm, 2M: -96dBm, 1M: -96dBm -802.11g: 54M: -79dBm, 48M: -80dBm, 36M: -84dBm, 6-24M: -88dBm 802.11n: MCS15: -76dBm, MCS14: -78dBm, MCS13: -80dBm, MCS12: -84dBm, MCS11: -87dBm, MCS10: -91dBm, MCS9: -93dBm, MCS8: -96dBm, MCS7: -76dBm, MCS6: -78dBm, MCS5: -80dBm, MCS4: -84dBm, MCS3: -87dBm, MCS2: -91dBm, MCS1: -93dBm, MCS0: -96dBm	Antennivõimenduse tase (maksimaalne)	9 dBi
Turvalisus		Toimimine	
Turvaalgoritmid *	64-bit WEP, 128-bit WEP, 152-bit WEP, SSID, TKIP, WPA, WPA-PSK, WPA2, WPA2-PSK	Sisseehitatud protsessor	✓
MAC-aadresside filtreerimine	✓	Protsessori mudel	Qualcomm Atheros
Protokollid		Protsessori sagedus	560 MHz
Haldusprotokollid	TDMA	Välkmälu	8 MB
Juhtimisfunktsioonid		Sisemälu	64 MB
Veebipõhine haldus	✓	Ühilduvad operatsioonisüsteemid	Microsoft Windows 98SE, NT, 2000, XP, Vista or Windows 8, Windows 7, MAC OS, NetWare, UNIX or Linux.
Haldusplatvorm	Pharos Control	Kaal ja mõõtmed	
Pesad & liidesed		Laius	224 mm
Ethernet LAN (RJ-45) pordid *	1	Sügavus	79 mm
Võimsus		Kõrgus	60 mm
Power over Ethernet tugi *	✓	Pakendi sisu	
		Kaablid kaasa arvatud	Vahelduvvool
		Paigalduskomplekt	✓
		Töötingimused	
		Suhteline õhuniiskus kasutamisel (H-H)	10 - 90 protsenti
		Kasutamistemperatuur (T-T)	-30 - 70 °C
		Hoiustamistemperatuur (T-T)	-40 - 70 °C
		Suhteline õhuniiskus (H-H) hoiustamisel	5 - 95 protsenti

Võimsus		Logistika andmed	
AC-sisendpinge	100 - 240 V	Harmonized System (HS) kood	85176990
AC-sisendsagedus	50 - 60 Hz		
Sisendvool	0.8 A		
Väljundpinge	24 V		
Väljundvool	1 A		
Elektritarbimine (max)	10,5 W		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-AUG-2024. Prints or copies of Information are only valid on the printed Publication date