

## TP-Link M7650 mobiilsidevõrgu seade Mobiilsidevõrgu ruuter

**Brand :** TP-Link

**Product code:** M7650

**Product name :** M7650

TP-Link M7650. Seadme tüüp: Mobiilsidevõrgu ruuter, Toote värv: Must, Hall, Turu positsioneerimine: Kaasaskantav. WiFi-standardid: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Toetatud WLAN andmeedastuskiirused: 867 Mbit/s, Wi-Fi sagedus: 5 GHz. Andmevõrk: 2G, 3G, 4G, LTE, 2G-standardid: Edge, GPRS, GSM, 3G-standardid: DC-HSPA+, HSPA, UMTS. Ühilduvad mälukaardid: MicroSD (TransFlash). Turvaalgoritmid: WPA-PSK, WPA2-PSK



<b>Disain</b>		<b>Pesad &amp; liidesed</b>	
Seadme tüüp *	Mobiilsidevõrgu ruuter	Integreeritud kaardilugeja	✓
Toote värv *	Must, Hall	Ühilduvad mälukaardid	MicroSD (TransFlash)
Turu positsioneerimine	Kaasaskantav	<b>Turvalisus</b>	
Sisesehitatud ekraan	✓	Turvaalgoritmid	WPA-PSK, WPA2-PSK
Kuvamise tüüp	TFT-ekraan	<b>Toimimine</b>	
Ekraani diagonaal	3,66 cm (1.44")	Toetatud Windowsi operatsioonisüsteemid	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Lähtestusnupp	✓	Sertifikaat	CE, RoHS
LED-indikaatorid	✓	<b>Võimsus</b>	
<b>Ethernet LAN-funktsioonid</b>		Toiteallika tüüp *	Vahelduvvool
Ethernet LAN *	✗	Aku mahutavus	3000 mAh
DHCP-klieent	✓	<b>Töötingimused</b>	
DHCP-server	✓	Kasutamistemperatuur (T-T)	0 - 35 °C
<b>Juhtmevaba LAN-i omadused</b>		Hoiustamistemperatuur (T-T)	-20 - 60 °C
WiFi *	✓	Suhteline õhuniiskus kasutamisel (H-H)	10 - 90 protsenti
WiFi-standardid	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Suhteline õhuniiskus (H-H) hoiustamisel	5 - 90 protsenti
Toetatud WLAN andmeedastuskiirused	867 Mbit/s	<b>Kaal ja mõõtmed</b>	
Wi-Fi sagedus	5 GHz	Laius	106 mm
<b>Mobiilivõrk</b>		Sügavus	66 mm
Andmevõrk *	2G, 3G, 4G, LTE	Kõrgus	16 mm
2G-standardid	Edge, GPRS, GSM	<b>Pakendi andmed</b>	
3G-standardid	DC-HSPA+, HSPA, UMTS	Kaablid kaasa arvatud	Mikro-USB
4G-standardid	LTE	Kasutusjuhend	✓
2G side toetatud	850,900,1800,1900 MHz	Pakendi laius	149 mm
Toetatud 3G-sagedused	900,2100 MHz	Pakendi sügavus	101 mm
Toetatud 4G-ribad	800,900,1800,2100 MHz	Pakendi kõrgus	60 mm
Toetatud GSM-sagedusalad	850,900,1800,1900 MHz	Pakendi kaal	260 g
Toetatud UMTS-ribad	900,2100 MHz		
SIM-kaardi tüüp	MicroSIM		

**Logistika andmed**

Harmonized System (HS) kood 85176990



6935364080556

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-AUG-2024. Prints or copies of Information are only valid on the printed Publication date