![AOC]

AOC B2 24B2XDM PC lamekuvar 60,5 cm (23.8") 1920 x 1080 pikslit Full HD LCD Must

Brand : AOC **Product family:** B2 **Product code:** 24B2XDM

Product name : 24B2XDM

AOC B2 24B2XDM. Ekraani diagonaal: 60,5 cm (23.8"), Ekraani resolutsioon: 1920 x 1080 pikslit, HD tüüp: Full HD, Ekraani tehnoloogia: LCD, Ekraani pind: Matt, Reaktsiooniaeg: 4 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. VESA paigaldamine. Toote värv: Must

Display

Display diagonal *	60.5 cm (23.8")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	VA
Backlight type	W-LED
Touchscreen *	✖
Display brightness (typical)	250 cd/m²
Response time *	4 ms
Display surface	Matt
Anti-glare screen	✔
Screen shape *	Flat
Supported graphics resolutions	1280 x 720 (HD 720), 1920 x 1080 (HD 1080)
Supported video modes	720p, 1080p
Aspect ratio	4:3, 16:9
Contrast ratio (typical) *	3000:1
Contrast ratio (dynamic)	20000000:1
Maximum refresh rate *	75 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Display diagonal (metric)	60.452 cm
Surface hardness	3H
Colour depth	8 bit
sRGB coverage (typical)	101%
NTSC coverage (typical)	72%
Adobe RGB coverage	74%

Performance

NVIDIA G-SYNC *	✖
AMD FreeSync *	✖
Fast charging	✖
Flicker-free technology	✔
Low Blue Light technology	✔

Ergonomics

Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✖
Pivot	✖
Tilt adjustment	✔
Tilt angle range	-5 - 20°
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Croatian, Czech, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Number of OSD languages	16

Power

Energy efficiency class (SDR) *	F
Energy consumption (SDR) per 1000 hours *	21 kWh
Power consumption (typical) *	21 W
Power consumption (standby) *	0.3 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	392112
External power adapter	✔

Weight & dimensions

Width (with stand)	539.5 mm
Depth (with stand)	170.9 mm
Height (with stand)	418.4 mm
Weight (with stand)	2.7 kg
Width (without stand)	539.5 mm
Depth (without stand)	37.6 mm
Height (without stand)	320.9 mm

Multimedia

Built-in speaker(s) *	✘
Built-in microphone	✘
Built-in camera *	✘

Design

Market positioning *	Home
Product colour *	Black
Frameless design	✔
Front bezel colour	Black
Detachable stand	✔
Feet colour	Black

Ports & interfaces

Built-in USB hub *	✘
VGA (D-Sub) ports quantity	1
DVI port	✔
HDMI *	✘
Audio input	✘
Headphone out *	✘

Ergonomics

VESA mounting *	✔

Packaging data

Package width	614 mm
Package depth	131 mm
Package height	492 mm
Package weight	4.5 kg
Package type	Box
VGA cable length	1.5 m

Packaging content

Stand included	✔
Cables included	AC
Power cable length	1.5 m

Sustainability

Sustainability certificates	ENERGY STAR

Other features

Exterior finish type	Textured
Recyclable packaging material	100%
Heavy metals free	Hg (mercury)
Light effects	✘
Certification	True

Logistics data

Harmonized System (HS) code	85285210

4038986149617