
QNAP.

QNAP HS-264 NAS Lauaarvuti Intel® Celeron® N5105 8 GB 0 TB QNAP Turbo System Must

Brand : QNAP Product code: HS-264-8G

Product name : HS-264







Storage		Performance	
Supported storage drive interfaces	Serial ATA II, Serial ATA III	Web-based management	✓
Storage drive sizes supported	2.5,3.5"	Share folder access right	/
RAID support *	✓	management	
Online RAID migration	✓	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, TLS
Online RAID expansion	✓	Access Control List (ACL)	V
Hot-swap drive bays	✓	Reset button	/
Supported file systems	FAT32, HFS+, NTFS, exFAT, ext3,	On/off switch	✓
,,	ext4	Built-in FTP server	✓
Storage drives installed * Total installed storage capacity *	X O TB	Browser supported	Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox
Number of storage drives supported		System log	✓
*	2	Hot spare	✓
Installed storage drive type *	×	Password authentication	✓
Supported storage drive types *	HDD & SSD	Disk scan	✓
Disk roaming	✓	S.M.A.R.T. support	✓
Processor		Share folder	AFP, CIFS/SMB, FTP
Processor manufacturer *	Intel	Software	
Processor family *	Intel® Celeron®	Operating system installed *	QNAP Turbo System
Processor model *	N5105	Operating system version	5.0.0
Processor frequency *	2 GHz	Windows operating systems	✓
Processor boost frequency	2.9 GHz 4	supported	
Processor cores Processor threads	4	Linux operating systems supported	✓
Processor cache	4 MB	Mac operating systems supported	✓
CPU configuration (max)	1		Windows Server 2008 R2, Windows
Number of processors supported	1	Server operating systems supported	Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows
On-board graphics card model	Intel® UHD Graphics		Server 2019
Memory		Power	
Internal memory *	8 GB	Power supply location	External
Maximum RAM supported	8 GB	Power supply unit (PSU) capacity	60 W
Flash memory	4000 MB	Number of power supply units	1
Network		Power consumption (typical)	24.995 W
Ethernet LAN *	/	Power consumption (sleep)	11.315 W
Ethernet LAN data rates	10,100,1000,2500 Mbit/s	Power consumption (HDD standby)	11.315 W
LUICITIEL LAIN WALA TALES	10,100,1000,2300 MNIC/2	AC input voltage	100 - 240 V

Network		Weight & dimensions	
DHCP client	✓	Width *	302 mm
DHCP server	✓	Depth *	220 mm
Jumbo frames support	✓	Height *	41.3 mm
iSCSI support	✓	Weight Package weight	1.56 kg 2.62 kg
Wake-on-LAN ready	✓		2.02 kg
Dynamic DNS (DDNS)	✓	Packaging content	
Ports & interfaces		External power adapter	•
USB port *	✓	Cables included	AC, LAN (RJ-45)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A		Power cables quantity	1
ports quantity	2	Processor special features	
HDMI ports quantity	2	Enhanced Intel SpeedStep	✓
HDMI version	2.0	Technology Idle States	/
Ethernet LAN (RJ-45) ports *	2	Intel 64	•
Concurrent connections	1500		~
Design		Intel Trusted Execution Technology Intel Virtualization Technology (VT-	X
Chassis type *	Desktop	x)	✓
Cooling type *	Passive	Intel Virtualization Technology for	1
Product colour	Black	Directed I/O (VT-d)	•
LED indicators	LAN, Status	Intel VT-x with Extended Page Tables (EPT)	✓
Cable lock slot Cable lock slot type	✓ Kensington	Operational conditions	
	Kensington	Operating temperature (T-T)	0 - 40 °C
Performance		Operating temperature (1-1) Operating relative humidity (H-H)	5 - 95%
Type *	NAS	Storage temperature (T-T)	-20 - 70 °C
Device class *	Home & Home Office	Storage relative humidity (H-H)	5 - 95%
Backup function *	✓	Logistics data	
Backup features	Cloud, iSCSI LUN ✓	Harmonized System (HS) code	84714100
Buzzer Number of users	4096 user(s)	Harmonized System (HS) code	04/14100
Snapshot	4090 user(s) ✓		
Management protocols	SNMP V2, V3		
Hanagement protocols	Sitted V2, V3		



4711103081037

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.