Lindy 43300 veebikaamera 1920 x 1080 pikslit USB 2.0 Must

Brand : Lindy

Product code: 43300

Product name : 43300

Lindy 43300. Maksimaalne video resolutsioon: 1920 x 1080 pikslit, Kaamera HD tüüp: Full HD, Maksimaalne kaadrisagedus: 30 fps. Liides: USB 2.0, Toote värv: Must, Kinnituse tüüp: Klamber/statiiv. Laius: 70 mm, Sügavus: 32 mm, Kõrgus: 84 mm. Pakendi tüüp: Karp, Pakendi laius: 143 mm, Pakendi sügavus: 88 mm





| Performance | | Software | | |
|---|---|---|--|--|
| Maximum video resolution * Maximum frame rate | 1920 x 1080 pixels 30 fps | Windows operating systems supported | 1 | |
| Camera HD type * | Full HD | Mac operating systems supported | 1 | |
| Auto exposure | 1 | Linux operating systems supported | 1 | |
| Focus adjustment | Manual | Operational conditions | | |
| Camera shutter function Camera shutter type Viewing angle, horizontal | nutter type Auto | Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T) | 30 - 70% -20 - 80 °C -20 - 60 °C | |
| Camera lens elements | 6-element lens | Weight & dimensions | | |
| Signal-to-Noise Ratio (SNR) White balance Noise reduction Chipset Operating voltage | (SNR) 50 dB Auto ✓ Hisilicon 3518EV300+ F23 5 V | Width Depth Height Weight | 70 mm 32 mm 84 mm 110 g | |
| Operating current | 0.16 A | Packaging data | | |
| Plug and Play | ✓ | Quantity | 1 | |
| Design | | Package type Package width | Box 143 mm | |
| Interface * Product colour * | USB 2.0 Black | Package depth Package height | 88 mm 48 mm | |
| Housing material | Acrylonitrile butadiene styrene (ABS) | Package weight | 146 g | |
| Mounting type * | Clip/Stand | Packaging content | | |
| Sensor type | CMOS | Manual | 1 | |
| Lens material Built-in flash * | Glass × | Microphone | | |
| USB powered | × | Built-in microphone * | 1 | |
| Cable length | 1.45 m | Number of microphones | 1 | |


Design

Tilt angle range Rotating 360° rotational base Certification

| 0 - 180° | | | |
|--|-----|------|--|
| Image: A second s | | | |
| Image: A second s | | | |
| | FCC | RoHS | |

Logistics dataHarmonized System (HS) code85258900Technical detailsCompliance certificatesRoHS

CE, UKCA, FCC, RoHS, REACH, California Proposition 65



4002888433006

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.