

## D-Link E15/E võrgulaiendaja Võrgusaatja Valge 10, 100, 1000 Mbit/s

Brand : D-Link

Product code: E15/E

Product name : E15/E

D-Link E15/E. Tüüp: Võrgusaatja, Andmeedastuskiirus: 1200 Mbit/s, Ethernet LAN-i andmeedastuskiirused: 10,100,1000 Mbit/s. Antenni tüüp: Väline. Kaabeldustehnoloogia: 10/100/1000Base-T(X), Võrgustandardid: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11h, IEEE..., WiFi-standardid: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Toote värv: Valge, Kinnituse tüüp: Sein, Kogus pakis: 1 tk. AC-sisendpinge: 100 - 240 V, AC-sisendsagedus: 50 - 60 Hz, Elektritarbimine (max): 11 W



Toimimine		Disain	
Tüüp *	Võrgusaatja	LED-indikaatorid	✓
Andmeedastuskiirus	1200 Mbit/s	Kogus pakis	1 tk
Ethernet LAN-i andmeedastuskiirused	10,100,1000 Mbit/s	Lähtestusnupp	✓
WPS-nupp	✓	Sertifikaat	FCC, IC, UL
Toetatud mobiilsed operatsioonisüsteemid	Android, iOS	<b>Võimsus</b>	
<b>Antenn</b>		AC-sisendpinge	100 - 240 V
Antennide arv	2	AC-sisendsagedus	50 - 60 Hz
Antenni tüüp	Väline	Elektritarbimine (max)	11 W
<b>Võrgustumine</b>		<b>Töötingimused</b>	
Kaabeldustehnoloogia	10/100/1000Base-T(X)	Kasutamistemperatuur (T-T)	0 - 40 °C
Võrgustandardid	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11h, IEEE 802.11k, IEEE 802.11n, IEEE 802.11v, IEEE 802.3ab, IEEE 802.3u	Hoiustamistemperatuur (T-T)	-20 - 70 °C
WiFi	✓	Suhteline õhuniiskus kasutamisel (H-H)	10 - 90 protsenti
WiFi-standardid	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Suhteline õhuniiskus (H-H) hoiustamisel	5 - 95 protsenti
WiFi andmeedastuskiirus (maksimaalne)	1200 Mbit/s	<b>Kaal ja mõõtmed</b>	
Wi-Fi laineala	Kaks sagedusala (2,4 GHz / 5 GHz)	Laius	105 mm
Turvaalgoritmid	WPA, WPA2, WPA3, WPS	Sügavus	63,5 mm
		Kõrgus	50 mm
		Kaal	161 g
		<b>Tehnilised andmed</b>	
		Jätkusuutlikkuse järgimine	✓
		Vastavussertifikaadid	CE

<b>Võrgustumine</b>		<b>Pakendi sisu</b>	
Veebipõhine haldus	✓	Kaablid kaasa arvatud	LAN (RJ-45)
<b>Pesad &amp; liidesed</b>		Kiirstardi juhend	✓
Ethernet LAN (RJ-45) pordid	1		
<b>Disain</b>			
Toote värv	Valge		
Kinnituse tüüp	Sein		



0790069459436



790069459436

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.