

## D-Link R15 juhtmevaba ruuter Gigabit Ethernet Kaks sagedusala (2,4 GHz / 5 GHz) Valge

Brand : D-Link

Product code: R15

Product name : R15

D-Link R15. WAN-ühenduse tüüp: RJ-45. Wi-Fi laineala: Kaks sagedusala (2,4 GHz / 5 GHz), Wi-Fi standard: Wi-Fi 6 (802.11ax), WiFi-standardid: 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax). Ethernet LAN-liidese tüüp: Gigabit Ethernet, Võrgustandardid: IEEE 802.11a, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11h, IEEE 802.11k, IEEE 802.11n,.... Turvaalgoritmid: WPA2, WPA3, WPS. Toote tüüp: Laua peale asetatav ruuter, Toote värv: Valge, LED-indikaatorid: LAN, Võimsus



<b>WAN-ühendus</b>		<b>Disain</b>	
Ethernet WAN *	✓	Toote värv	Valge
DSL WAN *	✗	LED-indikaatorid	LAN, Võimsus
SIM kaardi ava *	✗	Toote tüüp *	Laua peale asetatav ruuter
3G/4G USB modemi ühilduvus *	✗	<b>Pakendi sisu</b>	
WAN-ühenduse tüüp	RJ-45	Kaablid kaasa arvatud	LAN (RJ-45)
<b>Juhtmevaba LAN-i omadused</b>		AC-adapter kaasa arvatud	✓
Wi-Fi laineala *	Kaks sagedusala (2,4 GHz / 5 GHz)	Kiirstardi juhend	✓
Wi-Fi standard *	Wi-Fi 6 (802.11ax)	<b>Jätkusuutlikkus</b>	
WiFi-standardid	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Jätkusuutlikkuse järgimine	✓
WLAN edastuskiirus (esimene laineala)	300 Mbit/s	<b>Antenn</b>	
WLAN edastuskiirus (teine laineala)	1201 Mbit/s	Antenni kujundus *	Väline
Modulatsioon	1024-QAM	Antennide arv	4
<b>Võrgustumine</b>		<b>Funktsioonid</b>	
Ethernet LAN *	✓	Töötab Amazon Alexa'ga	✓
Ethernet LAN-liidese tüüp *	Gigabit Ethernet	Töötab Google Assistant'iga	✓
Võrgustandardid	IEEE 802.11a, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11h, IEEE 802.11k, IEEE 802.11n, IEEE 802.11v, IEEE 802.3ab, IEEE 802.3u	Sertifikaat	FCC, IC
	<b>Töötingimused</b>		
<b>Pesad &amp; liidesed</b>		Kasutamistemperatuur (T-T)	0 - 40 °C
Ethernet LAN (RJ-45) pordid *	3	Hoiustamistemperatuur (T-T)	-20 - 65 °C
USB port *	✗	Suhteline õhuniiskus kasutamisel (H-H)	10 - 90 protsenti
DC-pistik	✓	Suhteline õhuniiskus (H-H) hoiustamisel	5 - 95 protsenti
<b>Juhtimisfunktsioonid</b>		<b>Süsteeminõuded</b>	
Veebipõhine haldus	✓	Brauseritugi	Internet Explorer 10/Firefox 28.0/Chrome 28.0/Safari 6.0
Teenusekvaliteedi (QoS) tugi	✓		

Juhtimisfunktsioonid		Süsteeminõuded	
Lähtestusnupp	✓		Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64
WPS-nupp	✓		
Nutikas võrgutehnoloogia	✓		
Tehnoloogia MU-MIMO	✓		
Turvalisus			
Turvaalgoritmid	WPA2, WPA3, WPS		
Stateful Packet Inspection (SPI)	✓	Toetatud Windowsi operatsioonisüsteemid	
DoS-rünnakute ennetamine	✓		
Filtreerimine	✓		
MAC-aadresside filtreerimine	✓		
IP-aadresside filtreerimine	✓		
DMZ-tugi	✓		
		Toetatud Maci operatsioonisüsteemid	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
		Toetatud mobiilsed operatsioonisüsteemid	Android, iOS
		Kaal ja mõõtmed	
		Laius	195 mm
		Sügavus	139 mm
		Kõrgus	55 mm
		Kaal	300 g
		Tehnilised andmed	
		Vastavussertifikaadid	CE



0790069459573




790069459573



0790069459535



790069459535



0790069459603



790069459603

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.