

ZYXEL

Zyxel GS1900-10HP Juhitav L2 Gigabit Ethernet (10/100/1000) Power over Ethernet tugi Must

Brand : Zyxel

Product code: GS1900-10HP-EU0102F

Product name : GS1900-10HP



Zyxel GS1900-10HP. Lüliti tüüp: Juhitav, Lüliti kiht: L2. RJ-45 Etherneti ühenduse pesade tüüp: Gigabit Ethernet (10/100/1000), RJ-45 Etherneti ühenduse pesade arv: 8, Konsooli port: RJ-45. MAC-aadresside tabel: 8000 sisestust, Lülitusvõime: 20 Gbit/s. Võrgustandardid: IEEE 802.1D, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3at, IEEE.... Power over Ethernet tugi. Seinale kinnitav

Juhtimisfunktsioonid		Disain	
Lüliti tüüp *	Juhitav	Toote värv	Must
Lüliti kiht	L2	LED-indikaatorid	✓
Teenusekvaliteedi (QoS) tugi	✓	Seinale kinnitav	✓
Veebipõhine haldus	✓	Sertifikaat	CE, FCC, RCM, Class A, BSMI CNS 13438, LVD EN 62368-1, BSMI CNS 14336-1
Süsteemisündmuste logi	✓		
MIB-tugi	RFC 1213 MIB II, RFC 2819 RMON (group 1, 2, 3, 9), RFC 1215 generic traps, RFC 1493 bridge		
Pesad & liidesed		Toimimine	
RJ-45 Etherneti ühenduse pesade arv *	8	Keskmine tõrkeintervall (MTBF)	800259 h
RJ-45 Etherneti ühenduse pesade tüüp *	Gigabit Ethernet (10/100/1000)	Võimsus	
SFP mooduli pesade arv	2	Toiteallikas *	Vahelduvvool
Konsooli port	RJ-45	Kaasas toiteplokk *	✓
Võrgustumine		AC-sisendpinge	100 - 240 V
Võrgustandardid *	IEEE 802.1D, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	AC-sisendsagedus	50 - 60 Hz
10G-tugi *	✗	Elektritarbimine (max)	95,3 W
Etherneti vaskaablite tehnoloogia	10BASE-T, 100BASE-T, 1000BASE-T	Internet elektrivõrgu kaudu (PoE)	
VLAN-i tugi	✓	Power over Ethernet tugi *	✓
Virtuaalse LANi elemendid	Voice VLAN	Toide üle võrgu (PoE) pesade arv	8
Andmeedastus		Toide üle võrgu (PoE) võimsusühikuid kokku	77 W
Lülitusvõime *	20 Gbit/s	Töötingimused	
Läbilaskvus	14,88 Mpps	Kasutamistemperatuur (T-T)	0 - 40 °C
MAC-aadresside tabel *	8000 sisestust	Hoiustamistemperatuur (T-T)	-40 - 70 °C
Hiigelkaadrite	9000	Suhteline õhuniiskus kasutamisel (H-H)	10 - 95 protsenti
Turvalisus		Suhteline õhuniiskus (H-H) hoiustamisel	10 - 95 protsenti
DHCP elemendid	DHCP client	Kaal ja mõõtmed	
IGMP-jälgimine	✓	Laius	250 mm
Turvaalgoritmid	802.1x RADIUS, SSL/TLS	Sügavus	104 mm
		Kõrgus	27 mm
		Kaal	720 g

Turvalisus		Pakendi andmed	
MAC-aadresside filtreerimine	✓	Kaablid kaasa arvatud	Vahelduvvool
Protokollid			
Haldusprotokollid	SNMP, RMON, ICMP, Syslog		
Disain			
Püstikmontaaž *	✗		



4718937621200

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-AUG-2024. Prints or copies of Information are only valid on the printed Publication date