

Samsung VM55B-U LED Hoonesisene

Brand : Samsung

Product family: VMB-U

Product code:
LH55VMBUBGBXEN

Product name : VM55B-U



Samsung VM55B-U. Ekraani diagonaal: 139,7 cm (55"), Ekraani resolutsioon: 1920 x 1080 pikslit, Ekraani tehnoloogia: LED, Ekraani heledus: 500 cd/m², HD tüüp: Full HD, Töötunnid (tunnid/päevad): 24/7. Toote värv: Must

Ekraan		Pesad & liidesed	
Ekraani tehnoloogia *	LED	Ethernet LAN (RJ-45) pordid	1
Ekraani diagonaal	139,7 cm (55")	RS-232 sisendi pesad	1
Ekraani resolutsioon	1920 x 1080 pikslit	RS-232 väljundi pesad	1
HD tüüp	Full HD	USB port	✓
Paneeli tüüp	IPS	USB-portide hulk	1
Pikslitihedus *	0,63 x 0,63 mm	HDCP	✓
Ekraani heledus *	500 cd/m ²	HDCP versioon	2.2
Kontrastsustase (tüüpiline)	1200:1	IR sisendportide arv	1
Kontrasti suhe (dünaamiline)	45000:1	Audiosisend	✓
Reaktsiooniaeg	0,008 s	Audioväljund	✓
Vaatenurk, horisontaalne	178°	Võimsus	
Vaatenurk, vertikaalne	178°	Võimsustarve (tüüpiline) *	220 W
Horisontaalskaneerimise ulatus	62,7 - 72,3 kHz	Võimsustarve (ooterežiim)	0,5 W
Vertikaalne skaneerimisulatus	57 - 63 Hz	Energiatõhususe klass (SDR)	G
Ähmasuse määr	25 protsenti	Energiatarve (SDR) 1000 tunni kohta	165 kWh
Värvigamma	72 protsenti	AC-sisendpinge	100 - 240 V
Töötunnid (tunnid/päevad)	24/7	AC-sisendsagedus	50 - 60 Hz
Disain		Töötingimused	
Toetatud paigutus *	Hoonesisene	Kasutamistemperatuur (T-T)	0 - 40 °C
Lehekülje paigutus *	Horisontaalpaigutus/vertikaalpaigutus	Hoiustamistemperatuur (T-T)	10 - 90 °C
Raami laius (ülemine)	2,25 mm	Jätkusuutlikkus	
Raami laius (alumine)	1,25 mm	FCC (USA) Part 15, Subpart B Class	
Seinale kinnitav	✓	ACE (Europe) : EN55032 : 2012 or	
VESA paigaldamine	✓	2015 ? EN55024:2010 or EN	
VESA-paigaldusliidesed	600 x 400 mm	55035:2017VCCI (Japan) : VCCI	
Toote värv	Must	CISPR32:2016 Class BKCC/EK	
Pesad & liidesed		(Korea) : Tuner : KN13 /	
HDMI-portide arv	2	KN20Tunerless : KN22 / KN24BSMI	
HDMI sisendportide arv	2	(Taiwan) : CNS13438 (ITE EMI)	
HDMI-versioon	2.0	Class A / CNS14	
DVI-port	✓	Sertifikaat	
DVI-D liideste arv	1	Kaal ja mõõtmed	
DisplayPort arv	1	Laius	1213,5 mm
DisplayPort sisend	1	Sügavus	73,1 mm
DisplayPort versioon	1.2	Kõrgus	684,3 mm
Ethernet LAN	✓	Kaal	21,2 kg
		Pakendi andmed	
		Paigalduskomplekt	✓
		Pakendi laius	1398 mm

Pakendi andmed

Pakendi sügavus	257 mm
Pakendi kõrgus	844 mm
Pakendi kaal	28,8 kg



8806094366105

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-AUG-2024. Prints or copies of Information are only valid on the printed Publication date