




ICY BOX IB-DK2116-C Dokkimine USB 3.2 Gen 2 (3.1 Gen 2) Type-C Must

Brand : ICY BOX

Product code: 61005

Product name : IB-DK2116-C

ICY BOX IB-DK2116-C. Ühenduvustehnoloogia: Dokkimine, Hostiliides: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, USB Power Delivery kuni: 100 W. Ethernet LAN-i andmeedastuskiirused: 10,100,1000 Mbit/s, Etherneti vaskaablite tehnoloogia: 10BASE-T, 100BASE-T, 1000BASE-T. Toote värv: Must, Ühilduvad mälukaardid: MicroSD (TransFlash), SD, HD tüüp: 4K Ultra HD. Toitekaabli pikkus: 0,5 m. Muud toetatud operatsioonisüsteemid: ChromeOS



Pesad & liidesed

Ühenduvustehnoloogia *	Dokkimine
Hostiliides *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 2.0 portide arv *	2
USB 3.2 Gen 1 (3.1 Gen 1) A-tüüpi portide hulk *	2
USB 3.2 Gen 2 (3.1 Gen 2) C-tüüpi portide hulk	1
USB Power Delivery	✓
USB Power Delivery kontroll	3.0
USB Power Delivery kuni	100 W
HDMI-portide arv *	2
DisplayPort arv	1
Kombineeritud kõrvaklappide/mikrofoni pesa	✓
Kõrvaklapiväljundite arv *	1
USB C-tüüpi DisplayPort vahelduvrežiim	✓

Võrgustumine

Ethernet LAN *	✓
Ethernet LAN (RJ-45) pordid	1
Ethernet LAN-i andmeedastuskiirused	10,100,1000 Mbit/s
Etherneti vaskaablite tehnoloogia	10BASE-T, 100BASE-T, 1000BASE-T

Toimimine

Integreeritud kaardilugeja *	✓
Ühilduvad mälukaardid	MicroSD (TransFlash), SD
HD tüüp	4K Ultra HD
Maksimaalne digitaalresolutsioon	3840 x 2160 pikslit

Toimimine

LED-indikaatorid	Võimsus
UASP-režiimi tugi	✓
Korpuse materjal	Akrüültriil butadieen stüreen (ABS), Plast
Päritoluriik	Hiina

Võimsus

Toitekaabli pikkus	0,5 m
--------------------	-------

Tarkvara

Toetatud Windowsi operatsioonisüsteemid	✓
Toetatud Maci operatsioonisüsteemid	✓
Muud toetatud operatsioonisüsteemid	ChromeOS

Kaal ja mõõtmed

Laius	58 mm
Sügavus	205 mm
Kõrgus	19 mm
Kaal	246 g

Pakendi andmed

Kogus pakis	1 tk
Pakendi laius	114 mm
Pakendi sügavus	264 mm
Pakendi kõrgus	44 mm
Pakendi kaal	446 g

Toimimine		Pakendi sisu	
Toetatud ekraanide arv	3	Juhend	✓
Maksimaalne värskendussagedus	60 Hz	Logistika andmed	
Toote värv *	Must	Tooteid põhikasti (välimine) kohta	30 tk
		Põhikasti (välimise) laius	365 mm
		Põhikasti (välimise) pikkus	545 mm
		Põhikasti (välimise) kõrgus	255 mm
		Põhikasti (välimise) brutokaal	14,2 kg



4250078173380

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-AUG-2024. Prints or copies of Information are only valid on the printed Publication date