



## Dahua Technology WizSense DH-IPC-HFW2441S-S-0280B turvakaamera Kuul (kuju) IP süsteemiga turvakaamera Hooneväline 2668 x 1520 pikslit Sein

**Brand :** Dahua Technology

**Product family:** WizSense

**Product code:** DH-IPC-HFW2441S-S-0280B

**Product name :** DH-IPC-HFW2441S-S-0280B

Dahua Technology WizSense DH-IPC-HFW2441S-S-0280B. Tüüp: IP süsteemiga turvakaamera, Toetatud paigutus: Hooneväline, Ühenduvustehnoloogia: Juhtmega ühendatud. Kinnituse tüüp: Sein, Toote värv: Valge, Toote kuju: Kuul (kuju). Rotatsiooni nurk: 360°, Objektiivi vaatenurk, horisontaalne: 95°, Objektiivi vaatenurk, vertikaalne: 52°. Anduri tüüp: CMOS, Optilise sensori suurus: 25,4 / 2,9 mm (1 / 2.9"). Märkamiskaugus: 63,6 m, Jälgimiskaugus: 25,4 m, Äratundmiskaugus: 12,7 m

Performance		Video	
Type *	IP security camera	Gain control type	Auto/Manual
Placement supported *	Outdoor	Flip & mirror	✓
Connectivity technology *	Wired	Privacy masking	✓
Wide Dynamic Range (WDR)	✓	Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)
Day/night mode	✓	Bit rate	12 kbps-6144 kbps
Dynamic range	120 dB	Back Light Compensation (BLC)	✓
<b>Design</b>		Highlight Compensation (HLC)	✓
Form factor *	Bullet	Region of Interest (ROI) encoding	✓
Mounting type *	Wall	<b>Audio</b>	
Product colour *	White	Signal-to-Noise Ratio (SNR)	56 dB
Housing material	Metal	Built-in microphone	✓
International Protection (IP) code	IP67	Voice codecs	G.711Mu, G.711a, G.726, PCM
<b>Camera</b>		<b>Network</b>	
Minimum illumination	0 lx	Ethernet LAN *	✓
Angle of rotation	360°	Ethernet interface type	Fast Ethernet
Lens viewing angle, horizontal	95°	Supported network protocols	IPv4; IPv6; HTTP; TCP; UDP; ARP; RTP; RTSP; RTCP; RTMP; SMTP; FTP; SFTP; DHCP; DNS; DDNS; NTP; Multicast; ICMP; IGMP
Lens viewing angle, vertical	52°	Wi-Fi *	✗
Lens viewing angle, diagonal	114°	Bluetooth *	✗
Tilt angle range	0 - 90°	Number of users	6 user(s)
Pan range	0 - 360°	Live view	✓
White balance	Auto, Manual, Street lamp, Natural	<b>Storage</b>	
Camera shutter type	Electronic	Built-in HDD *	✗
Camera shutter speed	1/3 - 1/100.000 s	Card reader integrated	✓
Adjustment shutter speed	Auto/Manual	Compatible memory cards	MicroSD (TransFlash)
Number of Privacy masking areas	4	Maximum memory card size	256 GB
<b>Image sensor</b>		Internal memory	128 MB
Number of sensors	1	ROM capacity	128 MB
Optical sensor size	25.4 / 2.9 mm (1 / 2.9")	<b>Ports &amp; interfaces</b>	
Progressive scan	✓	Ethernet LAN (RJ-45) ports	1
Sensor type *	CMOS	<b>Security</b>	
<b>Lens system</b>		Mirror	✓
Detect distance	63.6 m	<b>Management features</b>	
Observe distance	25.4 m	Web browser	✓
Recognize distance	12.7 m		
Fixed focus	✓		
Identify distance	6.4 m		
Minimum aperture number	1.6		
Fixed focal length	2.8 mm		
Closest focusing distance	0.9 m		

Night vision		Power	
Night vision *	✓	Power source type *	DC, PoE
Night vision distance	30 m	Power consumption (typical)	2.5 W
LED type	IR	Power consumption (max)	4.2 W
Number of illumination LEDs	1	Power consumption (Power over Ethernet (PoE))	3.3 W
Video		DC output voltage	12
Maximum resolution *	2668 x 1520 pixels	Operational conditions	
Total megapixels *	4 MP	Operating temperature (T-T)	-40 - 60 °C
Video compression formats	H.264, H.264B, H.264H, H.265, M-JPEG	Storage temperature (T-T)	-40 - 60 °C
Supported graphics resolutions	352 x 240, 352 x 288, 640 x 480 (VGA), 704 x 480, 704 x 576, 1280 x 720 (HD 720), 1280 x 960, 1920 x 1080 (HD 1080), 2304 x 1296, 2560 x 1440, 2688 x 1520	Operating relative humidity (H-H)	0 - 95%
Video streaming	✓	Weight & dimensions	
Noise reduction	✓	Width	166.2 mm
Noise reduction technology	3D noise reduction	Depth	70 mm
		Height	70 mm
		Weight	480 g
		Packaging data	
		Package weight	590 g
		Packaging content	
		Number of cameras *	1



6923172539830

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.