KYOCERA ECOSYS P2040dn 1200 x 1200 DPI A4

Brand : KYOCERA   **Product family:** ECOSYS   **Product code:** 1102RX3NL0

Product name : P2040dn

KYOCERA ECOSYS P2040dn. Printimistehnoloogia: Laser. Prindikassettide arv: 1, Maksimaalne käidutsükkel: 50000 lehekülge kuu kohta. Maksimaalne resolutsioon: 1200 x 1200 DPI. Maksimaalne ISO A-seeria paberi suurus: A4. Printimiskiirus (must-valge, tavakvaliteet, A4/US Letter-formaat): 40 lk/min, Kahepoolne printimine. Ekraan: LCD. Võrguvalmidus. Toote värv: Must, Valge

Printing

Duplex printing mode	Auto
Print resolution black	1200 x 1200 DPI
Colour *	✘
Print technology *	Laser
Duplex printing *	✔
Maximum resolution *	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter) *	40 ppm
Duplex print speed (black, normal quality, A4/US Letter)	20 ppm
Warm-up time	15 s
Time to first page (black, normal)	6.4 s

Features

Maximum duty cycle *	50000 pages per month
Printing colours *	Black
Number of print cartridges *	1
Page description languages *	PCL 5e, PCL 6, PCL XL, XPS
Replacement cartridges	TK-1160 (7.200 pagina's)

Input & output capacity

Total number of input trays *	1
Total input capacity *	250 sheets
Total output capacity *	250 sheets
Paper tray 1 input capacity	250 sheets
Paper input type	Cassette, Paper tray
Multi-Purpose tray	✔
Multi-Purpose tray input capacity	100 sheets
Maximum number of input trays	3

Network

Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi standards	Not supported
Near Field Communication (NFC)	✘
Bluetooth	✘
Mobile printing technologies	Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service

Performance

Internal memory *	256 MB
Maximum internal memory	256 MB
Card reader integrated	✔
Compatible memory cards	SD, SDHC
Built-in processor	✔
Processor frequency	800 MHz
Sound pressure level (printing)	48.8 dB

Design

Market positioning *	Home & office
Product colour *	Black, White
Built-in display *	✔
Display	LCD
Colour display	✘
Display number of lines	2 lines
Certification	TÜV/GS, CE

Power

Power consumption (printing) *	620 W
Power consumption (ready)	8 W

Input & output capacity

Maximum input capacity	850 sheets
Maximum output capacity	250 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Maximum print size	216 x 356 mm
Paper tray media types *	Plain paper
Multi-purpose tray media types	Plain paper
ISO A-series sizes (A0...A9) *	A4, A5, A6
ISO B-series sizes (B0...B9)	B5, B6
Non-ISO print media sizes	Legal, Letter
Custom media width	70 - 216 mm
Custom media length	148 - 356 mm
Paper tray media weight	60 - 163 g/m²
Multi-Purpose Tray media weight	60 - 220 g/m²
Duplex media weight	60 - 163 g/m²

Ports & interfaces

Standard interfaces	Ethernet, USB 2.0
Direct printing *	✔
USB port *	✔
USB 2.0 ports quantity	1

Network

Network ready	✔
Wi-Fi *	✘
Ethernet LAN *	✔
Cabling technology	10/100/1000Base-T(X)

Power

Power consumption (PowerSave)	0.8 W
Power consumption (off)	0.1 W
Energy Star Typical Electricity Consumption (TEC)	1.6 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50 - 60 Hz

System requirements

Windows operating systems supported	✔
Mac operating systems supported	✔
Linux operating systems supported	✔

Sustainability

Sustainability certificates	Blue Angel, ENERGY STAR

Weight & dimensions

Width	375 mm
Depth	393 mm
Height	272 mm
Weight	14 kg

Packaging data

Package width	500 mm
Package depth	516 mm
Package height	400 mm
Package weight	18 kg

Packaging content

Cartridge(s) included	✔
Included cartridge capacity (black)	3600 pages
Cables included	AC

Logistics data

Harmonized System (HS) code	84433210

0632983040249

632983040249

0632983933671

632983933671