Neomounts DS70-450BL1 monitori kinnitus ja alus 106,7 cm (42") Laud Must

Brand: Neomounts **Product code**: DS70-450BL1

Product name: DS70-450BL1

Neomounts DS70-450BL1. Paigaldus: Klamber/kaitsekrae, Maksimaalne kaal (mahutavus): 15 kg, Ekraani minimaalne suurus: 43,2 cm (17"), Ekraani maksimaalne suurus: 106,7 cm (42"), Paigaldussüsteemi ühilduvus (min): 75 x 75 mm, Paigaldussüsteemi ühilduvus (max): 100 x 100 mm. Kõrguse reguleerimine, Pöördenurga ulatus: -90 - 90°, Kaldenurk: -45 - 45°. Toote värv: Must





Mounting		Design	
Minimum screen size *	43.2 cm (17")	Product colour *	Black
Maximum weight capacity *	15 kg	Weight & dimensions	
Maximum weight capacity (per curved/ultra-wide display) Maximum screen size * Mounting Mounting type * Minimum VESA mount * Maximum VESA mount * Panel mounting interface Number of displays supported * Desk thickness (min) Desk thickness (max) Distance to the wall (min)	11 kg 106.7 cm (42") Clamp/Grommet Desk 75 x 75 mm 100 x 100 mm 75 x 75,100 x 100 mm 1 1 cm 4.5 cm 10.8 cm	Width Depth Height Packaging data Package width Package depth Package height Package net weight Package weight Packaging content Mounting kit	120 mm 568 mm 653 mm 280 mm 127 mm 445 mm 5.4 kg 5.1 kg
Distance to the wall (max)	56.8 cm	Other features	•
Ergonomics Height adjustment Height adjustment type Height adjustment range	✓ Gas spring 261 - 555 mm	Minimum weight Width adjustment range Warranty period	1 kg 0 - 920 mm 5 year(s)
Adjustable depth Depth adjustment range Tilt adjustment	54 - 511 mm	Technical details Doesn't contain	Plastic
Tilt angle range Swivelling Swivel angle	-45 - 45° ✓ 180°	Master (outer) case width Master (outer) case length Master (outer) case height	460 mm 275 mm 580 mm
Swivel angle range Rotating Angle of rotation	-90 - 90° ✓ 360°	Master (outer) case gross weight Products per master (outer) case Country of origin	20.5 kg 4 pc(s) China

Ergonomics		Logistics data	
Cable management	✓	Master (outer) case net weight	18.4 kg
Design		Harmonized System (HS) code Products per pallet (EU)	7326909890 64 pc(s)
Housing material	Steel	- Froducts per panet (EO)	04 pc(3)



8717371449469

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.