



## HP 80X High Yield Black Original LaserJet Toner Cartridge

Brand : HP

Product code: CF280X

Product name : 80X High Yield Black Original LaserJet Toner Cartridge



HP 80X High Yield Black Original LaserJet Toner Cartridge. Musta toonerkasseti prinditavate lehekülgede arv: 6900 lehekülge, Printimisvärvid: Must, Kogus pakis: 1 tk

| Funktsioonid                                       |                           | Kaal ja mõõtmed                                  |                      |
|--|---------------------------|--|----------------------|
| Ühilduvus *  | HP LaserJet Pro M401/M425 | Pakendi kõrgus                                   | 225 mm               |
| Kogus pakis *                                      | 1 tk                      | Pakendi kaal                                     | 1,3 kg               |
| Kasseti mahutavus                                  | High (XL) Yield           | Pakendi tüüp                                     | Karp                 |
| Musta toonerkasseti prinditavate lehekülgede arv * | 6900 lehekülge            | <b>Tehnilised andmed</b>                         |                      |
| Tüüp *   | Originaal                 | Karbi sisu                                       | 1 Cartridge          |
| Printimisvärvid *                                  | Must                      | Üksteise peale laotud kastide maksimaalne arv    | 20 tk                |
| Brändiühilduvus *                                  | HP                        | Põhikastid (välimine) kaubaaluse kihi kohta (EL) | 23 tk                |
| OEM-kood   | CF280X                    | <b>Logistika andmed</b>                          |                      |
| Taaskasutatud materjali osakaal                    | 18 protsenti              | Harmonized System (HS) kood                      | 84439990             |
| Toote värv   | Must                      | Kaubaaluse brutokaal                             | 140,1 g              |
| HP segment   | Ettevõtlus                | Kaubaaluse kaal (euroalus)                       | 140,1 g              |
| <b>Töötingimused</b>                               |                           | Kihid kaubaaluse kohta                           | 4 tk                 |
| Kasutamistemperatuur (T-T)                         | 10 - 30 °C                | Põhikaste (välimised) kaubaaluse kihi kohta      | 23 tk                |
| Suhteline õhuniiskus kasutamisel (H-H)             | 20 - 80 protsenti         | Põhikastid (välimised) kaubaaluse kohta          | 92 tk                |
| Hoiustamistemperatuur (T-T)                        | -20 - 40 °C               | Tooteid kaubaaluse kohta                         | 92 tk                |
| Suhteline õhuniiskus (H-H) hoiustamisel            | 10 - 80 protsenti         | Tooteid kaubaaluse kohta (euroalus)              | 92 tk                |
| <b>Kaal ja mõõtmed</b>                             |                           | <b>Muud funktsioonid</b>                         |                      |
| Laius  | 340 mm                    | Aluse mõõtmed (l x s x k)                        | 1200 x 800 x 1049 mm |
| Sügavus  | 113 mm                    | Värv   | ✘                    |
| Kõrgus   | 225 mm                    | Pakendi mõõtmed (l x s x k)                      | 340 x 113 x 225 mm   |
| Kaal   | 1,05 kg                   | Printimistehnoloogia                             | Laserprintimine      |
| Pakendi laius                                      | 340 mm                    | Leheküljetootluse lisamärkus                     | ISO/IEC 19752        |
| Pakendi sügavus                                    | 113 mm                    | Aluse suurus (EL)                                | 1160 x 800 x 1049 mm |



0886111144150



886111144150




8436530135769



0193808119385




193808119385



0193808119422



193808119422



0193808119439




193808119439



0193808119415




193808119415



0193808119460




193808119460




0193808119453




193808119453



0193808119446



193808119446



0193808119392



193808119392

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.