



TP-Link Omada ER8411 juhtmega ruuter Gigabit Ethernet Must

Brand : TP-Link

Product family: Omada

Product code: ER8411

Product name : ER8411



TP-Link Omada ER8411. Võrgustandardid: IEEE 802.1Q, Ethernet-liidese tüüp: Gigabit Ethernet, Kaabeldustehnoloogia: 10/100/1000Base-T(X). NAT-funktsionaalsus: One-to-One NAT; Multi-Net NAT; Virtual Server; Port Triggering; NAT-DMZ; FTP/H.323/SIP/IPSec/PPTP.... Välmälu: 256 MB, Sisemälu: 4096 MB, Sisemälu tüüp: DDR4. Toote värv: Must. AC-sisendpinge: 100 - 240 V, AC-sisendsagedus: 50 - 60 Hz



WAN-ühendus		Turvalisus	
Ethernet WAN *	✓		One-to-One NAT; Multi-Net NAT; Virtual Server; Port Triggering; NAT-DMZ; FTP/H.323/SIP/IPSec/PPTP ALG; UPnP;
DSL WAN *	✗	NAT-funktsionaalsus	
SIM kaardi ava *	✗		
3G/4G USB modemi ühilduvus *	✗		
SFP WAN *	✓		
Võrgustumine		Funktsioonid	
Võrgustandardid *	IEEE 802.1Q	Sisesehitatud protsessor	✓
Ethernet-liidese tüüp *	Gigabit Ethernet	Välmälu	256 MB
Kaabeldustehnoloogia	10/100/1000Base-T(X)	Sisemälu	4096 MB
Ethernet LAN-i andmeedastuskiirused	10,100,1000 Mbit/s	Sisemälu tüüp	DDR4
Staatiline ruutimine	✓	Sertifikaat	CE, FCC, RoHS
VLAN-i tugi	✓	Disain	
Portide suunamine	✓	Toote värv *	Must
Juhtimisfunktsioonid		LED-indikaatorid	✓
Universaalne Plug and Play (UPnP)	✓	Võimsus	
Lähtestusnupp	✓	AC-sisendpinge	100 - 240 V
Pesad & liidesed		AC-sisendsagedus	50 - 60 Hz
Ethernet LAN (RJ-45) pordid *	8	Töötingimused	
Kombineeritud SFP-pesade arv	2	Kasutamistemperatuur (T-T)	0 - 40 °C
USB-portide hulk	2	Hoiustamistemperatuur (T-T)	-40 - 70 °C
DC-pistik	✓	Suhteline õhuniiskus kasutamisel (H-H)	10 - 90 protsenti
Protokollid		Suhteline õhuniiskus (H-H) hoiustamisel	5 - 90 protsenti
DHCP-klient *	✓	Kaal ja mõõtmed	
DHCP-server *	✓	Laius	440 mm
Turvalisus		Sügavus	220 mm
URL-i filtreerimine	✓	Kõrgus	44 mm
Pääsuloend (ACL)	✓	Pakendi andmed	
		AC-adapter kaasa arvatud	✓
		Juhend	✓
		Pakendi laius	336 mm

Pakendi andmed

Pakendi sügavus	528 mm
Pakendi kõrgus	100 mm
Pakendi kaal	3,68 kg



4897098683309



4897098683132



0840030703300



840030703300

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.