
ASUS RT-AX88U Pro juhtmevaba ruuter Multi-Gigabit Ethernet Kaks sagedusala (2,4 GHz / 5 GHz) Must

Brand : ASUS Product code: RT-AX88U PRO

Product name: RT-AX88U Pro







WAN connection		Management features	
Ethernet WAN *	✓	WPS push button	✓
DSL WAN *	×	MU-MIMO technology	✓
SIM card slot *	×	Security	
3G/4G USB modem compatibility *	×	Converted algorithms	SSH, WPA, WPA2, WPA2-Enterprise,
Wireless LAN features		Security algorithms	WPS
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	Firewall	✓
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Guest access	✓
WLAN data transfer rate (max) *	4804 Mbit/s	Parental control	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	MAC address filtering	✓
		MAC address table	64 entries
Modulation	1024-OAM	System event log	✓
Network		DMZ support	✓
Ethernet LAN *	✓	NAT functionality	PPTP, L2TP, IPSec, RTSP, H.323, SIP Passthrough,PPPoE relay
Ethernet LAN interface type *	Multi-Gigabit Ethernet	Protocols	
Ethernet LAN data rates	10,100,1000,2500 Mbit/s	DHCP server	✓
Cabling technology	10/100/1000Base-T(X)	Design	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE	Design	51. 1
Networking Standards	802.11g, IEEE 802.11n	Product colour	Black
Port forwarding	✓	LED indicators	LAN, Power, USB, WAN, WLAN, WPS
Port triggering	✓	On/off switch	✓ Tableton router
Dynamic DNS (DDNS)	✓	Product type *	Tabletop router
VPN support	- VPN Client L2TP - VPN Client OVPN - VPN Client PPTP - VPN Client WireGuard - VPN Server IPSec - VPN Server OVPN - VPN Server PPTP -	Antenna	
		Antenna design *	External
		Antennas quantity	4
	VPN Server WireGuard - VPN Fusion	Features	

Ports & interfaces		Features	
Ethernet LAN (RJ-45) ports *	5	Built-in processor	✓
USB port *	✓	Processor frequency	2000 MHz
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Processor cores	4
		Internal memory	1024 MB
DC-in jack	✓	Flash memory	256 MB
Management features		Works with Amazon Alexa	✓
Bandwidth control	✓	Power	
Quality of Service (QoS) support	✓	Power source type *	AC
Wake-on-LAN ready	✓	AC input voltage	110 - 240 V
Reset button	•	AC input frequency	50 - 60 Hz
		Output voltage	19 V
		Output current	2.37 A
		Weight & dimensions	
		Weight	1.01 kg





195553911054

0195553911054



4711081911111

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.