

TP-Link Archer T2U Nano 433 Mbit/s

Brand : TP-Link **Product code:** ARCHER T2U NANO V1

Product name: Archer T2U Nano

TP-Link Archer T2U Nano. Ühenduvustehnoloogia: Juhtmevaba, Hostiliides: USB. Andmete edastamise maksimaalne määr: 433 Mbit/s, Wi-Fi standard: Wi-Fi 5 (802.11ac), Wi-Fi laineala: Kaks sagedusala (2,4 GHz / 5 GHz). Toide USB kaudu. Toote värv: Must





Ports & interfaces		Power	
Connectivity technology *	Wireless	USB powered	✓
Host interface *	USB	System requirements	
USB version	2.0	Windows operating systems	Windows 10, Windows 7, Windows
Network		supported	8, Windows 8.1, Windows XP
Maximum data transfer rate *	433 Mbit/s	Mac operating systems supported	macOS
Networking standards *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1x	Linux operating systems supported	✓
		Operational conditions	
Wi-Fi	1	Operating temperature (T-T)	0 - 40 °C
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)	Storage temperature (T-T)	-40 - 70 °C
Frequency range	2.4 - 5 GHz	Operating relative humidity (H-H)	10 - 90%
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)	Storage relative humidity (H-H)	5 - 90%
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Weight & dimensions	
WLAN data transfer rates supported	•	Width	15 mm
Modulation	16-QAM, 64-QAM, 256-QAM, CCK, COFDM, DBPSK, DQPSK, OFDM	Depth Height	7.1 mm 18.6 mm
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK	Packaging data	
Bandwidth (first)	2.4 GHz	Quantity	1
Bandwidth (second)	5 GHz	Package width	138 mm
Design		Package depth	128 mm
	Dia els	Package height	30 mm
Product colour	Black	Package weight	90 g
Internal *	X	Packaging content	
Antenna design	Internal	Quick installation guide	✓
Antenna design Antenna direction type	Internal Omni-directional	Technical details	
Antenna unection type	Offinii-directional	Compliance certificates	RoHS
		compnance certificates	1/0113

Design		Other features	
Receiver sensitivity	5GHz□ 11a 6Mbps: -90dBm 11a 54Mbps: -73dBm 11n HT20 MCS0: -89dBm 11n HT20 MCS7: -70dBm 11n HT40 MCS0: -86dBm 11n HT40 MCS7: -67dBm 11ac VHT80 MCS0: -82dBm 11ac VHT80 MCS9: -56dBm 2.4GHz: 11b 1Mbps: -96dBm 11b 11Mbps: -88dBm 11g 6Mbps: -89dBm 11g 54Mbps: -74dBm 11n HT20 MCS0: -89dBm 11n HT20 MCS7: -72dBm 11n HT40 MCS0: -86dBm 11n HT40 MCS7: -66dBm	Transmit power range	20 - 20 dBmW
Certification	CE, FCC		





6935364082635

0840030700019



840030700019

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.