



# TP-Link EAP113-Outdoor 300 Mbit/s Valge Power over Ethernet tugi

**Brand :** TP-Link

**Product code:** EAP113-OUTDOOR

**Product name :** EAP113-Outdoor

TP-Link EAP113-Outdoor. 2,4 GHz, Andmete edastamise maksimaalne määr: 300 Mbit/s. Turvaalgoritmid: 64-bit WEP, 128-bit WEP, 152-bit WEP, HTTPS, SNMP, SNMPv2, SSH, WPA, WPA-PSK, WPA2-Enterprise,.... Power over Ethernet tugi. Toote värv: Valge



Features		Design	
2.4 GHz *	✓	Placement *	Pole, Wall
5 GHz *	✗	Product colour *	White
6 GHz *	✗	International Protection (IP) code	IP65
Maximum data transfer rate *	300 Mbit/s	Reset button	✓
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	<b>Antenna</b>	
Wi-Fi Multimedia (WMM)/(WME)	✓	Antenna type *	External
Virtual LAN features	VLAN mapping	Antenna direction type	Omni-directional
Rate limiting	✓	Antenna features	Detachable antenna
Wireless isolation	✓	Antennas quantity	2
Quality of Service (QoS) support	✓	Antenna gain level (max)	3 dBi
Transmitting power (CE)	20 dBm	<b>Certificates</b>	
Transmitting power (FCC)	22 dBm	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
<b>Security</b>		Certification	CE, FCC, RoHS
Security algorithms *	64-bit WEP, 128-bit WEP, 152-bit WEP, HTTPS, SNMP, SNMPv2, SSH, WPA, WPA-PSK, WPA2-Enterprise, WPA2-PSK	<b>Weight &amp; dimensions</b>	
MAC address filtering	✓	Width	214.9 mm
Service Set Identifier (SSID) features	Multiple SSIDs	Depth	46 mm
Number of SSID supported	8	Height	37.7 mm
Access Control List (ACL)	✓	<b>Packaging content</b>	
<b>Management features</b>		Quantity per pack	1 pc(s)
Syslog	✓	Mounting kit	✓
<b>Ports &amp; interfaces</b>		Antenna included	✓
Ethernet LAN (RJ-45) ports *	1	<b>Operational conditions</b>	
		Operating relative humidity (H-H)	10 - 90%
		Operating temperature (T-T)	-30 - 65 °C
		Storage temperature (T-T)	-40 - 70 °C

**Power**

Power over Ethernet (PoE) *	✓
Power over Ethernet (PoE) type supported	Passive PoE
DC voltage range	48 V
Power consumption (typical)	4.11 W

**Operational conditions**

Storage relative humidity (H-H)	5 - 90%
---------------------------------	---------

**Sustainability**

Sustainability compliance	✓
---------------------------	---



4895252503494

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.