

Neomounts DS20-425BL2 sülearvuti raam & alus Sülearvuti ja monitori pikenduskäsi Must 68,6 cm (27")

Brand : Neomounts

Product code: DS20-425BL2

Product name : DS20-425BL2

Neomounts DS20-425BL2. Toote tüüp: Sülearvuti ja monitori pikenduskäsi, Toote värv: Must, Materjal: Teras. Kõrguse reguleerimise ulatus: 275 - 555 mm, Laiuse reguleerimise ulatus: 0 - 332 mm, Sühavuse reguleerimisvahemik: 66 - 398 mm. Laius: 966 mm, Sügavus: 494 mm, Kõrgus: 611 mm. Pakendi laius: 233 mm, Pakendi sügavus: 150 mm, Pakendi kõrgus: 442 mm. Põhikasti (välimise) laius: 250 mm, Põhikasti (välimine) pikkus: 473 mm, Põhikasti (välimise) kõrgus: 465 mm



Neomounts



Neomounts

Design		Weight & dimensions	
Product type *	Laptop & monitor arm	Depth	494 mm
Product colour *	Black	Height	611 mm
Material	Steel	Desk thickness (max)	8 cm
Minimum notebook screen size compatibility	43.2 cm (17")	Desk thickness (min)	1 cm
Maximum notebook screen size compatibility	68.6 cm (27")	Packaging data	
Maximum monitor screen size compatibility	68.6 cm (27")	Package net weight	5.5 kg
Number of devices supported	1	Package width	233 mm
Maximum weight capacity	8 kg	Package depth	150 mm
Mounting	Clamp/Grommet	Package height	442 mm
		Package weight	5.5 kg
		Package type	Box
Ergonomics		Features	
Adjustable	✓	Lockable	✗
Height adjustment	✓	Technical details	
Height adjustment range	275 - 555 mm	Mounting type	Desk
Width adjustment range	0 - 332 mm	Country of origin	China
Adjustable depth	✓	Logistics data	
Depth adjustment range	66 - 398 mm	Master (outer) case width	250 mm
Swivel angle range	-90 - 90°	Master (outer) case length	473 mm
Tilt angle range	-30 - 90°	Master (outer) case height	465 mm
Rotating	✓	Master (outer) case gross weight	17.1 kg
Angle of rotation	360°	Products per master (outer) case	3 pc(s)
Distance to the wall (max)	49.4 cm	Master (outer) case net weight	13.7 kg
Distance to the wall (min)	16.2 cm	Harmonized System (HS) code	7326909890
VESA mounting	✓	Products per pallet (EU)	63 pc(s)
Panel mounting interface	75 x 75,100 x 100 mm	Other features	
Cable management	✓		

Weight & dimensions

Width 966 mm

Other features

Number of displays supported 1



8717371449865

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.