



TP-Link Omada ER706W-4G juhtmevaba ruuter Gigabit Ethernet Kaks sagedusala (2,4 GHz / 5 GHz) Must

Brand : TP-Link

Product family: Omada

Product code: ER706W-4G

Product name : ER706W-4G



TP-Link Omada ER706W-4G. Wi-Fi laineala: Kaks sagedusala (2,4 GHz / 5 GHz), Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN edastuskiirus (max): 2402 Mbit/s. Ethernet LAN-liidese tüüp: Gigabit Ethernet. Mobiilsidevõrgu põlvkond: 4G, 3G-standardid: HSDPA, HSUPA, WCDMA, 4G-standardid: LTE-TDD & LTE-FDD. NAT-funktsionaalsus: • One-to-One NAT • Multi-Net NAT • Virtual Server • Port Triggering† • NAT-DMZ • Toote tüüp: Lauaarvuti/pooluse ruuter, Toote värv: Must, LED-indikaatorid: LAN, LTE, Staatus, Süsteem, WAN

WAN-ühendus		Turvalisus	
Ethernet WAN *	✓	Võrguaadresside transleerimine (NAT)	✓
DSL WAN *	✗		
SIM kaardi ava *	✓		
3G/4G USB modemi ühilduvus *	✗	NAT-funktsionaalsus	• One-to-One NAT • Multi-Net NAT • Virtual Server • Port Triggering† • NAT-DMZ • FTP/H.323/SIP/IPSec/PPTP ALG • UPnP
Juhtmevaba LAN-i omadused		Protokollid	
Wi-Fi laineala *	Kaks sagedusala (2,4 GHz / 5 GHz)	DHCP-server	✓
Wi-Fi standard *	Wi-Fi 6 (802.11ax)	Disain	
WLAN edastuskiirus (max) *	2402 Mbit/s	Toote värv	Must
Võrgustumine		LED-indikaatorid	LAN, LTE, Staatus, Süsteem, WAN
Ethernet LAN *	✓	Toote tüüp *	Lauaarvuti/pooluse ruuter
Ethernet LAN-liidese tüüp *	Gigabit Ethernet	Antenn	
Dünaamiline DNS (DDNS)	✓	Antenni kujundus *	Väline
VPN Passthrough	✓	Antennide arv	5
Mobiilivõrk		Funktsioonid	
Mobiilsidevõrgu põlvkond	4G	Sisemälu	512 MB
3G-standardid	HSDPA, HSUPA, WCDMA	Sisemälu tüüp	DDR4
4G-standardid	LTE-TDD & LTE-FDD	Välkmälu	128 MB
Toetatud 4G-ribad	800,850,900,1800,2100,2300,2500,2600 MHz	Võimsus	
SIM-kaardi tüüp	NanoSIM	Toiteallika tüüp *	Vahelduvvool
Pesad & liidesed		Töötingimused	
Ethernet LAN (RJ-45) pordid *	5	Kasutamistemperatuur (T-T)	0 - 40 °C
USB port *	✗	Hoiustamistemperatuur (T-T)	-40 - 70 °C
Juhtimisfunktsioonid		Suhteline õhuniiskus kasutamisel (H-H)	10 - 90 protsenti
Ribalaiuse juhtimine	✓	Suhteline õhuniiskus (H-H) hoiustamisel	5 - 90 protsenti
Lähtestusnupp	✓	Kaal ja mõõtmed	
Tehnoloogia MU-MIMO	✓	Laius	226 mm
MIMO	✓		
Turvalisus			
Pääsuloend (ACL)	✓		
URL-i filtreerimine	✓		

Kaal ja mõõtmed

Sügavus	131 mm
Kõrgus	35 mm



4895252500721



4895252500714



0840030705267



840030705267

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.