

DELL S Series S2725HS LED display 68,6 cm (27") 1920 x 1080 pikslit Full HD LCD Must, $H\tilde{o}be$

Brand : DELL Product family: S Series Product code: DELL-S2725HS

Product name: S2725HS

DELL S Series S2725HS. Ekraani diagonaal: 68,6 cm (27"), Ekraani resolutsioon: $1920 \times 1080 \text{ pikslit}$, HD tüüp: Full HD, Ekraani tehnoloogia: LCD, Reaktsiooniaeg: 8 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178° , Vaatenurk, vertikaalne: 178° . Sisseehitatud kõlar(id). VESA paigaldamine, Kõrguse reguleerimine. Toote värv: Must, Hõbe





Display		Ergonomics	
Display diagonal *	68.6 cm (27")	LED indicators	✓
Display resolution *	1920 x 1080 pixels Full HD	Power	
HD type * Native aspect ratio *	16:9	Energy efficiency class (SDR) *	D
Display technology *	LCD	Energy consumption (SDR) per 1000 hours *	17 kWh
Panel type *	IPS	Power consumption (typical) *	17 W
LED backlight	✓	Power consumption (standby) *	0.4 W
Backlight type	Edge LED	Power consumption (max)	45 W
Touchscreen *	×	Power consumption (off)	0.3 W
Display brightness (typical)	250 cd/m ²	AC input voltage	100 - 240 V
Response time *	8 ms	AC input frequency	50/60 Hz
Anti-glare screen	✓	Input current	1.5 A
Screen shape *	Flat	Power supply type	Internal
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Energy efficiency scale	A to G
Contrast ratio (typical) *	1500:1	European Product Registry for	1856264
Maximum refresh rate *	100 Hz	Energy Labelling (EPREL) code	
Viewing angle, horizontal	178°	Operational conditions	
Viewing angle, vertical	178°	Operating temperature (T-T)	0 - 40 °C
Display number of colours *	16.78 million colours	Storage temperature (T-T)	-20 - 60 °C
Response time (fast)	5 ms	Operating relative humidity (H-H)	10 - 80%
Pixel pitch	0.3114 x 0.3114 mm	Storage relative humidity (H-H)	5 - 90%
Pixel density	82 ppi	Operating altitude	0 - 5000 m
Horizontal scan range	30 - 110 kHz	Non-operating altitude	5000 - 12192 m
Vertical scan range	48 - 100 Hz	Weight & dimensions	
Viewable size, horizontal	59.8 cm	Width (with stand)	609.7 mm
Viewable size, vertical	33.6 cm	Depth (with stand)	200.4 mm
Surface hardness	3H	Height (with stand)	517.5 mm
sRGB coverage (typical)	99%	Weight (with stand)	6.08 kg

Performance		Weight & dimensions	
NVIDIA G-SYNC * AMD FreeSync * Flicker-free technology Low Blue Light technology Multimedia	x x 	Width (without stand) Depth (without stand) Height (without stand) Weight (without stand) Bezel width (side) Bezel width (top) Bezel width (bottom)	609.7 mm 59 mm 354.2 mm 4.3 kg 5.9 mm 5.89 mm 1.2 cm
Number of speakers RMS rated power	2 10 W	Packaging data	1.2 CIII
Built-in speaker(s) *	✓	Package weight	8.41 kg
Built-in camera *	x	Packaging content	0.12 kg
Design		Stand included	✓
Market positioning * Product colour * Front bezel colour Feet colour	Office Black, Silver Black Silver	Cables included Quick start guide HDMI cable length	AC, HDMI ✓ 1.8 m
	56.	Sustainability	
Ports & interfaces Built-in USB hub * HDMI * HDMI ports quantity	× ✓ 2	Sustainability compliance Sustainability certificates Doesn't contain	✓ ENERGY STAR PVC/BFR
		Carbon footprint	
HDMI version	1.4	Total carbon footprint (kg of CO2e)	199
	X	, , , , , , , , , , , , , , , , , , , ,	
Headphone out * AC (power) in	✓	Carbon emissions, manufacturing (kg of CO2e)	91
•		(kg of CO2e) Carbon emissions, logistics (kg of	91
AC (power) in		(kg of CO2e)	16
AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable management	✓ 100 x 100 mm ✓	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg	16
AC (power) in Ergonomics VESA mounting * Panel mounting interface	✓ 100 x 100 mm	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of	16 84
AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type Height adjustment *	100 x 100 mm Kensington	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use	16 84 8
AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max)	100 x 100 mm Kensington 13 cm	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e)	16 84 8 115
AC (power) in Ergonomics VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type Height adjustment *	100 x 100 mm Kensington	(kg of CO2e) Carbon emissions, logistics (kg of CO2e) Carbon emissions, energy usage (kg of CO2e) Carbon emissions, end-of-life (kg of CO2e) Total carbon emissions, w/o use phase (kg of CO2e) PAIA version	16 84 8 115



5397184821657

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.