Alienware AW3423DW LED display 86,8 cm (34.2") 3440 x 1440 pikslit Quad HD OLED-ekraan Valge, Must

Brand: Alienware **Product code**: GAME-AW3423DW

Product name: AW3423DW

Alienware AW3423DW. Ekraani diagonaal: 86,8 cm (34.2"), Ekraani resolutsioon: 3440 x 1440 pikslit, HD tüüp: Quad HD, Ekraani tehnoloogia: OLED-ekraan, Reaktsiooniaeg: 0,1 ms, Loomulik kuvasuhe: 21:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. Sisseehitatud USB-jaotur, USB-jaoturi versioon: 3.2 Gen 1 (3.1 Gen 1). VESA paigaldamine, Kõrguse reguleerimine. Toote värv: Valge, Must



Display		Network	
Display diagonal *	86.8 cm (34.2")	Wi-Fi	×
Display resolution *	3440 x 1440 pixels Quad HD	Ergonomics	
HD type *		VESA mounting *	✓
Native aspect ratio *	21:9	<u>.</u>	
Display technology *	OLED	Panel mounting interface	100 x 100 mm
Touchscreen *	×	Cable lock slot *	✓
Display brightness (typical)	250 cd/m²	Height adjustment *	✓
Response time *	0.1 ms	Adjustable height (max)	11 cm
Anti-glare screen	✓	Pivot	×
Screen shape *	Curved	Swivelling	✓
Screen curvature rating	1800R	Swivel angle range	-20 - 20°
	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 2560	Tilt adjustment	✓
Supported graphics resolutions		Tilt angle range	-5 - 21°
	x 1440, 3440 x 1440	On Screen Display (OSD)	✓
Supported video modes	480p, 576p, 720p, 1080p	Plug and Play	√
Contrast ratio (typical) *	1000000:1	LED indicators	/
Contrast ratio (dynamic)	1000000:1		•
Maximum refresh rate *	175 Hz	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	G
Viewing angle, vertical	178°	Energy efficiency class (HDR) *	G
Display number of colours *	1.07 billion colours	Energy consumption (SDR) per 1000	34 kWh
Pixel pitch	0.23 x 0.23 mm	hours *	
Pixel density	110 ppi	Energy consumption (HDR) per 1000 hours *	36 kWh
Viewable size, horizontal	80 cm	Power consumption (typical) *	42.3 W
Viewable size, vertical	33.7 cm	Power consumption (standby) *	0.5 W
Viewable size diagonal	86.8 cm	Power consumption (max)	200 W
Display diagonal (metric)	86.82 cm	Power consumption (off)	0.3 W
High Dynamic Range (HDR) supported	✓	AC input voltage	100 - 240 V
High Dynamic Range (HDR)	High Dynamic Range (HDR) 400	AC input frequency	50 - 60 Hz
technology		Input current	3 A
DDC/CI	✓	Power supply type	Internal
Colour depth	10 bit	Energy efficiency scale	A to G
Colour gamut standard	DCI-P3	European Product Registry for Energy Labelling (EPREL) code	1049154

Display		Operational conditions	
Colour gamut sRGB coverage (typical) Extreme Dynamic Range (XDR) brightness (peak) Heat dissipation Heat dissipation (typical)	99.3% 149% 1000 cd/m² 684 BTU/h 144.67 BTU/h	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -20 - 60 °C 10 - 80% 10 - 90% 0 - 5000 m 0 - 12192 m
Performance		Weight & dimensions	
NVIDIA G-SYNC * NVIDIA G-SYNC type AMD FreeSync * Flicker-free technology Low Blue Light technology Smart modes Multimedia Built-in speaker(s) * Built-in camera *	G-SYNC ULTIMATE	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand) Bezel width (side) Bezel width (top)	815.2 mm 305.7 mm 415.6 mm 9.88 kg 815.2 mm 137.1 mm 364.1 mm 6.92 kg 1.1 cm 4.65 mm
Design		Bezel width (bottom)	2.06 cm
Market positioning * Product colour * Front bezel colour Detachable stand	Gaming White, Black Black ✔	Packaging data Package weight Packaging content Stand included	15.9 kg
Ports & interfaces		Cables included	DisplayPort, DisplayPort to Mini
Built-in USB hub * USB hub version Number of upstream ports USB Type-A downstream ports	3.2 Gen 1 (3.1 Gen 1) 1	Quick start guide DisplayPort cable length HDMI cable length	DisplayPort, HDMI, USB Type-A ✓ 1.8 m 1.8 m
quantity	·	Sustainability	
DVI port HDMI *	× ,	Sustainability certificates Doesn't contain	ENERGY STAR Arsenic
HDMI ports quantity HDMI version	2 2.0	Other features	
DisplayPorts quantity DisplayPort version Audio output	1 1.4	Heavy metals free Compliance certificates Power management	Hg (mercury) RoHS ✓
Headphone out *	·	Logistics data	
Headphone outputs Headphone connectivity HDCP	1 3.5 mm	Harmonized System (HS) code	85285210



5397184567784

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.