



LG OLED55B43LA teler 139,7 cm (55") 4K Ultra HD Nutiteleri funktsioon WiFi Must

Brand : LG

Product code: OLED55B43LA

Product name : OLED55B43LA

LG OLED55B43LA. Ekraani diagonaal: 139,7 cm (55"), Ekraani resolutsioon: 3840 x 2160 pikslit, HD tüüp: 4K Ultra HD, Ekraani tehnoloogia: OLED-ekraan, Ekraani kuju: Lame. Nutiteleri funktsioon. Resolutsiooni interpolatsiooni tehnoloogia: OLED Motion, Loomulik kuvasuhe: 16:9. WiFi, Ethernet LAN. Toote värv: Must



Ekraan		Toimimine	
Ekraani diagonaal *	139,7 cm (55")	Toetatud audioformaadid	AAC, AC3, AC4, EAC3, HE-AAC, MP2, MP3, PCM, WMA, apt-X
HD tüüp *	4K Ultra HD	HDR-toega *	✓
Ekraani tehnoloogia *	OLED-ekraan	NVIDIA G-SYNC	✓
Ekraani kuju *	Lame	Mängu funktsioonid	Automaatne madala latentsuse režiim (ALLM), HGiG, Muutuv värskendussagedus (VRR)
Loomulik kuvasuhe *	16:9	4K suurendus	✓
Resolutsiooni interpolatsiooni tehnoloogia *	OLED Motion	Mitmevaateline	✓
Oma värskendussagedus	120 Hz	Pesad & liidesed	
Ekraani resolutsioon *	3840 x 2160 pikslit	USB 2.0 portide arv *	2
Ekraani diagonaal (meetermõõdustik)	139 cm	Ühtne liides (CI) *	✓
Nutiteleri		Ühine liides Plus (CI+) *	✗
Nutiteleri funktsioon *	✓	HDMI-portide arv *	4
Installitud operatsioonisüsteem *	WebOS	Võimsus	
Operatsioonisüsteemi versioon	webOS 24	Võimsustarve (ooterežiim) *	0,5 W
Apple AirPlay 2 tugi	✓	Energiaõhususe klass (SDR) *	G
Nutirežiimid	Kino, Filmmaker, Mäng, Sport, Standard, Ere	Energiaõhususe klass (HDR) *	G
Audio		Energiaarve (SDR) 1000 tunni kohta *	83 kWh
RMS-nimivõimsus *	20 W	Energiaarve (HDR) 1000 tunni kohta *	142 kWh
Audioväljundi kanalid	2.0 kanalid	AC-sisendpinge	110 - 240 V
Helirežiimid	Clear Voice Pro	AC-sisendsagedus	50/60 Hz
Võrgustumine		Kaal ja mõõtmed	
WiFi *	✓	Laius (koos alusega)	1228 mm
WiFi-standardid	Wi-Fi 5 (802.11ac)	Sügavus (koos alusega)	235 mm
Bluetooth *	✓	Kõrgus (koos alusega)	772 mm
Bluetoothi versioon	5.1	Kaal (koos jalaga)	14,5 kg
Ethernet LAN *	✓	Laius (ilma aluseta)	12 mm
Veebilehitseja	✓	Sügavus (ilma aluseta)	45,9 mm
Disain		Kõrgus (ilma aluseta)	708 mm
Toote värv *	Must	Kaal (ilma aluseta)	14,3 kg
VESA paigaldamine *	✓	Aluse laius	105,7 mm
VESA-paigaldusliidesed	300 x 200 mm	Aluse sügavus	23,5 cm

Toimimine		Pakendi andmed	
Suure dünaamilise ulatuse (HDR) tehnoloogia	Dolby Vision, High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)	Pakendi laius	1360 mm
		Pakendi sügavus	810 mm
		Pakendi kõrgus	172 mm
		Pakendi kaal	19,5 kg

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-AUG-2024. Prints or copies of Information are only valid on the printed Publication date