

Whirlpool WQ9I FO2BX EF kõrvutiasetsev külmik-sügavkülmik Eraldiseisev 592 l E Must

Brand : Whirlpool

Product code: 859991663490

Product name : WQ9I FO2BX EF

Whirlpool WQ9I FO2BX EF. Seadme paigaldus: Eraldiseisev, Toote värv: Must, Kontrolli tüüp: Puudutus. Neto kogumahutavus: 592 l, Kliimaklass: Kliimaklass SN-T, Mürasissiooni klass: C. Külmkapi netomahutavus: 355 l, Lambi tüüp: LED. Sügavkülmiku netomahutavus: 237 l, Sügavkülmiku paigutus: Põhja peal asetsev, Külmutusvõimsus: 8 kg/24 h. Juhtme pikkus: 1,8 m



Disain		Sügavkülmik	
Seadme paigaldus *	Eraldiseisev	Sügavkülmiku netomahutavus *	237 l
Tootedisain *	2	Sügavkülmiku paigutus *	Põhja peal asetsev
Toote värv *	Must	Külmutusvõimsus *	8 kg/24 h
Kontrolli tüüp	Puudutus	Säilitamise aeg elektrikatkestuse ajal *	15 h
Sisesehitatud ekraan *	✓	Hinnang *	4*
Kuvamise tüüp	LED	Jäävaba (sügavkülmik) *	✓
Riiulite materjal	Plast	Automaatne sulatus (sügavkülmik)	✓
Süvistatavad käepide(med)	✓	Sügavkülmiku riiulite/korvide arv *	6
Uste arv	4 uks(ed)	Sügavkülmiku ukseriulid	6
Toimimine		Kiirkülmutuse funktsioon	✓
Neto kogumahutavus *	592 l	Sügavkülmiku kompressorite arv	1
Bruto kogumahutavus	655 l	Sügavkülmiku uste arv	2
Jahutussüsteem	Dünaamiline (ventilaatoriga)	Värske tsoon	
Kliimaklass *	Kliimaklass SN-T	Värske säilituse sektsioon *	✓
Mürasissiooni klass *	C	Ergonoomika	
Müratase *	41 dB	Avatud ukse alarm	✓
Veekraan *	✓	Juhtme pikkus	1,8 m
Veega varustamise süsteem	Veepaak	Võimsus	
Veefilter	✓	Energiatõhususe skaala	A-st G-ni
Jäävalmistaja *	✗	Energiatõhususe klass *	E
Jäämasin	✗	Aastane energiakulu *	344 kWh
Puhkuse funktsioon	✗	AC-sisendpinge	220-240 V
Minimaalne töötemperatuur	10 °C	AC-sisendsagedus	50/60 Hz
Maksimaalne kasutamistemperatuur	43 °C	Vool	1,6 A
Külmik		Kaal ja mõõtmed	
Külmkapi netomahutavus *	355 l	Laius *	908 mm
Jäävaba (külmik) *	✓		
Automaatne sulatus (külmik)	✓		

Külmik		Kaal ja mõõtmed	
Multi-õhuvool (külmik) *	✓	Sügavus *	716 mm
Külmkapi riulite/korvide arv *	3	Kõrgus *	1876 mm
Aedviljasahtlite arv *	3	Kaal *	159 kg
Külmiku ukseriulid	7	Pakendi andmed	
Antibakteriaalne pind	✗	Pakendi laius	990 mm
Super Cool funktsioon	✓	Pakendi sügavus	795 mm
Külmkapi kompressorite arv	1	Pakendi kõrgus	1981 mm
Külmkapi sisemuse valgustus	✓	Pakendi kaal	172 kg
Lambi tüüp	LED	Muud funktsioonid	
		Electronic control	✓
		Garantiaeg	2 aasta(t)



8003437643354

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-OCT-2024. Prints or copies of Information are only valid on the printed Publication date