

LG F4X1008NWK pesumasin Eest täidetav 8 kg 1400 RPM Valge

Brand: LG Product code: F4X1008NWK

Product name: F4X1008NWK

LG F4X1008NWK. Laadimistüüp: Eest täidetav. Nimitäitekogus: 8 kg, Tsentrifuugimise klass: B, Müratase (tsentrifuugimisel): 75 dB. Pesuklass: A. Müratase (pesu): 55 dB, Maksimaalne pöörlemiskiirus: 1400 RPM. Toote värv: Valge. Laius: 600 mm, Sügavus: 590 mm, Kõrgus: 850 mm. Energiatõhususe klass: A

| Danism | | Funamamica | |
|---|-----------------|-----------------------------------|-------------------------------------|
| Design | | Ergonomics | |
| Appliance placement * | Freestanding | Feet adjustment type | Front & Rear |
| Loading type * | Front-load | Castor wheels | × |
| Product colour * | White | Stackable | ✓ |
| Colour name | White | Drum interior light | × |
| Inverter technology | • | Adjustable feet | ✓ |
| Built-in display * | ✓ | Feet adjustment | 2 cm |
| Display type | LED | On/off button | 1 |
| Display illumination | ✓ | Removable top | ✓ |
| Control type * | Rotary, Touch | Feet extension (min) | 1 cm |
| Illumination colour | White | Number of adjustable feet | 4 |
| Door hinge * | Left | Adjustable back feet from front | → |
| Door opening | Side opening | • | |
| Door opening angle | 150° | Machine care | ✓ |
| Door colour | Transparent | Brand-specific features | |
| Reversible doors | × | LG technologies (clothes care) | 6 Motion DD, Allergy Care, Inverter |
| Rim colour | Black | LG technologies (clothes care) | Direct Drive Motor, ThinQ™ |
| Drum material | Stainless steel | Power | |
| Tub material | Polyurethane | Energy efficiency scale | A to G |
| Drum type | Embossing | Energy efficiency class * | A |
| Cord length | 1.9 m | Energy consumption per 100 cycles | 40 134/6 |
| Inlet hose length | 1.3 m | * | 48 kWh |
| Outlet hose length | 1.75 m | Energy consumption washing per | 0.472 kWh |
| Dispenser tray type | 3-way | cycle | 40.1 |
| Drum volume | 58 L | Water consumption per cycle * | 48 L |
| Lower built-in capability (topless) | ✓ | Power consumption (standby) | 0.5 W |
| Water fill | Cold | Power consumption (off) | 0.5 W |
| Motor type | Beltless | Weight & dimensions | |
| Dutch control panel | × | Width | 600 mm |
| Universal motor | ✓ | Depth | 590 mm |
| Viewing window | ✓ | Height | 850 mm |
| Country of origin | China | Weight | 58 kg |
| Performance | | Depth with door closed | 59 cm |
| | 0.1 | Depth with door open | 103 cm |
| Rated capacity * | 8 kg | Installation compartment width | 64 cm |
| Maximum spin speed * | 1400 RPM | Installation compartment depth | 69 cm |
| Spin-drying class * | B | Installation compartment height | 85.5 cm |
| Number of washing programs * | 10 | Door opening diameter | 30 cm |
| Noise emission class * | B 75 dD | Gross weight | 616.9 kg |
| Noise level (spin) * | 75 dB 55 dB | Packaging data | |
| Noise level (wash) * Delayed start timer * | >> UB | Laundry wash bag included | × |
| Delayed start timer * | | Manual | · ✓ |
| Delay start (max) | 19 h | Manual languages | English |
| Delay start (min) | 1 h | Product languages | English |
| Timer | • | Package width | 660 mm |
| Cycle time (max) | 218 min | Package depth | 660 mm |
| | | гаскаде церит | OOO IIIIII |

| Daufauman c | | Daalaasiaa data | |
|--|---|--|--|
| Performance | | Packaging data | |
| Cycle time (quick washing program, small load) | 30 min | Package height | 890 mm |
| Cycle time (quick washing program) | 30 min | Package weight Package type | 616.9 kg Box |
| | Cotton, Delicate/silk, Easy care, Eco | Package dimensions (WxDxH) | 660 x 660 x 890 mm |
| Washing programs * | 40-60°C, Hand/wool, Hygiene/anti- allergy, Mix, Quick 30min, Sport | Packaging content | 300 X 300 X 330 Hilli |
| Half-load | X | | |
| No rinse | × | Batteries included | × |
| Rinse hold | × | Other features | |
| Rinse Plus function | × | Dimensions (WxDxH) | 600 x 590 x 850 mm |
| Water Plus | × | Category | Washing Machine |
| Number of rinse selections | 1 | Energy consumption | 48 kWh |
| Custom program | × | Hand wash | ✓ |
| Overflow protection * | × | Indication light | 10 |
| Adjustable spin speed | ·· | Number of programs Pause function | 10 |
| Minimum spin speed | 400 RPM | Spin speed | 1400 RPM |
| Load balancing system * | ✓ | Washing class | A |
| Automatic load recognition | ✓ | Power requirements | Mains |
| Self adjusting water level | · · | Rated capacity (washing) | 8 kg |
| AquaStop function * | × | Model year | 2024 |
| Foam control system * | × | Professional installation required | × |
| Residual moisture | 53.9% | Required tools | Standard tool box |
| Adjustable temperature | ✓ | Spare part retention | 7 year(s) |
| Easy iron function | × | Hose extender compatible | × |
| Add garment (pause) function | × | EAN | 8806096104323 |
| - | | Fuzzy Logic controls | 1 |
| Stain remover option Menu languages | X English | Sportswear program | ✓ |
| Smartphone/tablet remote support | ∠ Liigiisii | Doesn't contain | Chlorofluorocarbon (CFC), Hydrofluorocarbon (HFC) |
| Left-on mode duration | 10 min | Net weight | 58 kg |
| Maximum washing temperature | 95 °C | Eco program duration | 218 min |
| Anti-Crease function | × | Warranty period | 5 year(s) |
| Fast+ function | × | Technical details | |
| Sterilization function | / | Normal washing program | × |
| UV Hygiene technology | × | Chemical tax (Sweden) | × |
| Built-in spirit level | × | PSTI certified | ^ ✓ |
| Artificial Intelligence control | × | | • |
| Artificial Intelligence wash | × | Certificates | |
| Minimum water flow pressure | 50 kPa | Waste Electrical and Electronic Equipment (WEEE) compliance | ✓ |
| Maximum water flow pressure | 800 kPa | | |
| Wi-Fi controlled | ✓ | Supplier features | |
| Independently connects to the | × | Product or Article Information Sheet available? | ✓ |
| internet | | Logistics data | |
| Near Field Communication (NFC) | X | Expanded Polystyrene (EPS) | |
| App required for full functionality | X | packaging weight | 541 g |
| Bluetooth | × | Metal packaging weight | 0 g |
| Apps supported | LG ThinQ Downloadable additional programs, | Paper packaging weight | 3.09 kg |
| Apps functions | Remote diagnostic, Remote | Plastic packaging weight | 137 g |
| • | monitoring | Wood packaging weight | 0 g |
| No spin | ✓ | Quantity per pack Products per pallet layer | 1 pc(s) 2 pc(s) |
| Ergonomics | | Products per pallet | 2 pc(s) |
| Child lock * | / | UK Trade Tariff code | 8450119000 |
| Sensor program selection | × | Products per master (outer) case | 1 pc(s) |
| Auto diagnostic | ✓ | Master (outer) case gross weight | 61.8 kg |
| Voice commands | × | Master (outer) case length | 660 mm |
| Automatic dosing system | × | Master (outer) case width | 660 mm |
| | | Master (outer) case height | 890 mm |

| Ergonomics | | Logistics data | |
|--------------------------------------|----------|--|--------------------|
| Dosage assistant | × | Package volume | 387684 cm³ |
| TurboWash | × | Master (outer) case volume | 387684 cm³ |
| Auto-restart | 1 | Harmonized System (HS) code | 84501190 |
| Overdosage indication | × | Cardboard packaging weight | 3.09 kg |
| Over voltage protection | / | Polyethylene (PE) packaging weight | 52 g |
| Self-cleaning * | · ✓ | Polypropylene (PP) packaging weight | 85 g |
| Self-cleaning detergent drawer | × | Polystyrene (EPS/EPP) packaging weight | 541 g |
| Eco Drum Clean | × | Rubber packaging weight | 0 g |
| Drum Clean | ✓ | Intrastat code | 8450119000 |
| Powder detergent function | ✓ | Proper shipping name | F4X1009NMK.AMBQPUK |
| Liquid detergent container | × | Customs product code (TARIC) | 8450119000 |
| Remaining time indication * | ✓ | Products per intermodal container (40ft) | 159 pc(s) |
| Error message indicator | ✓ | Minimum order quantity | 1 pc(s) |
| Water supply lacking indicator | ✓ | . , | • |
| Electrical component fault indicator | ✓ | | |
| LED program stage indicator | ✓ | | |
| Door open alarm | ✓ | | |
| Buzzer | ✓ | | |
| Automatic locking | ✓ | | |



8806096104323

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.