

PHILIPS

Philips B Line 152B1TFL/00 PC lamekuvar 38,1 cm (15") 1024 x 768 pikslit LED Puutetundlik ekraan Must

Brand : Philips

Product family: B Line

Product code: 152B1TFL/00


Product name : 152B1TFL/00

152B1TFL Avatud raamiga puuteekraaniga monitor

Philips B Line 152B1TFL/00 PC lamekuvar 38,1 cm (15") 1024 x 768 pikslit LED Puutetundlik ekraan Must:


Philipsi avatud raamiga puuteekraaniga monitor pakub optimaalset paindlikkust paigaldamiseks. Vastupidav, vee- ja tolmukindel, servast servani disain vastab teie vajadustele. Suurepärase eredusega peegeldusvastane ekraan pakub erakordselt selget pilti.

Philips B Line 152B1TFL/00. Ekraani diagonaal: 38,1 cm (15"), Ekraani resolutsioon: 1024 x 768 pikslit, Ekraani tehnoloogia: LED, Reaktsiooniaeg: 4 ms, Loomulik kuvasuhe: 4:3, Vaatenurk, horisontaalne: 160°, Vaatenurk, vertikaalne: 150°. Sisseehitatud USB-jaotur. VESA paigaldamine. Toote värv: Must



Display		Ergonomics	
Display diagonal *	38.1 cm (15")	Panel mounting interface	100 x 100 mm
Display resolution *	1024 x 768 pixels	Wall mountable	✓
Native aspect ratio *	4:3	Cable lock slot *	✓
Display technology *	LED	Cable lock slot type	Kensington
Panel type *	TN	On Screen Display (OSD)	✓
Backlight type	W-LED	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Touchscreen *	✓	Number of OSD languages	21
Touchscreen technology	Projected capacitive system	Palm rejection area	30 x 30 mm
Touch technology	Multi-touch	Plug and Play	✓
Number of simultaneous touchpoints	10	LED indicators	Operation, Stand-by
Display brightness (typical)	450 cd/m ²	Power	
Display brightness	450 cd/m ²	Energy efficiency class (SDR) *	D
Response time *	4 ms	Power consumption (typical) *	9.6 W
Screen shape *	Flat	Power consumption (standby) *	0.3 W
Aspect ratio	4:3	Power consumption (off)	0.3 W
Contrast ratio (typical) *	800:1	Power consumption (PowerSave)	6.1 W
Contrast ratio (dynamic)	50000000:1	AC input voltage	100 - 240 V
Dynamic contrast ratio marketing name	SmartContrast	AC input frequency	50 - 60 Hz
Maximum refresh rate *	75 Hz	Power supply type	External
Viewing angle, horizontal	160°	European Product Registry for Energy Labelling (EPREL) code	420475
Viewing angle, vertical	150°	Operational conditions	
Display number of colours *	16.2 million colours	Operating temperature (T-T)	0 - 40 °C
Pixel pitch	0.297 x 0.297 mm	Storage temperature (T-T)	-20 - 60 °C
Pixel density	85 ppi		
Horizontal scan range	30 - 60 kHz		
Vertical scan range	50 - 75 kHz		
Viewable size, horizontal	30.4 cm		
Viewable size, vertical	22.8 cm		

Display		Operational conditions	
Display diagonal (metric)	38.1 cm	Operating relative humidity (H-H)	20 - 80%
DDC/CI	✓	Operating altitude	0 - 3658 m
Haze rate	5%	Non-operating altitude	0 - 12192 m
Surface hardness	7H	Weight & dimensions	
NTSC coverage (typical)	60%	Width (without stand)	350 mm
Display sRGB	✓	Depth (without stand)	49 mm
Performance		Height (without stand)	286 mm
NVIDIA G-SYNC *	✗	Weight (without stand)	3.42 kg
AMD FreeSync *	✗	Packaging data	
Component video sync	Separate sync, Sync-on-green (SOG)	Package width	465 mm
Flicker-free technology	✓	Package depth	123 mm
Low Blue Light technology	✓	Package height	350 mm
Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1	Package weight	4.13 kg
Other operating systems supported	Android	Packaging content	
Multimedia		Cables included	HDMI, DisplayPort, USB Type-A to USB Type-B, AC
Built-in camera *	✗	Manual	✓
Design		Bundled software	SmartControl
Product colour *	Black	Sustainability	
Front bezel colour	Black	Doesn't contain	PVC/BFR, Mercury
Ports & interfaces		Other features	
Built-in USB hub *	✓	International Protection (IP) code	IP65
Number of upstream ports	1	Exterior finish type	Textured
USB Type-A downstream ports quantity	2	Display viewable area (HxV)	304.128 x 228.096 mm
USB Touch port	✓	Picture enhancement	SmartImage
VGA (D-Sub) ports quantity	1	Recyclable packaging material	100%
DVI port	✓	Regulatory Approvals	CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified
DVI-D ports quantity	1	Heavy metals free	Hg (mercury)
HDMI *	✓	Touch method	Stylus, Finger, Glove
HDMI ports quantity	1.4	EasyRead mode	✓
HDMI version	1.4	Energy efficiency class (old)	D
DisplayPorts quantity	1.2	Compliance certificates	RoHS
DisplayPort version	1.2	Mean time between failures (MTBF)	70000 h
Audio output	✓	Certification	CB, CE Mark, FCC Class B, SEMKO, UKRAINIAN, ICES-003, TUV/GS, TUV Ergo, CU-EAC, EAEU RoHS, TUV Eye Comfort certified
Ergonomics		Logistics data	
VESA mounting *	✓	Harmonized System (HS) code	85285210



8712581772895

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-NOV-2024. Prints or copies of Information are only valid on the printed Publication date