/isus

ASUS NUC 14 Pro+ RNUC14RVSU900002I UCFF Höbe 185H

Brand : ASUS

Product family: NUC 14 Pro+

Product code: 90AR0051-M000|0

Product name : RNUC14RVSU900002I

ASUS NUC 14 Pro+ RNUC14RVSU9000021. Keretüüp: UCFF, Toote tüüp: Mini PC Barebone (korpus koos emaplaadiga). Toetatud mälutüübid: DDR5-SDRAM, Mälukaardi pesade arv: 2, Maksimaalne sisemälu: 96 GB. Toetatud ketaste tüübid: SSD, Ketta liides: PCI Express. Ethernet LAN (RJ-45) pordid: 1. WiFi-standardid: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E..., Bluetoothi versioon: 5.3. Jahutuse tüüp: Aktiivne. Toiteallikas: 150 W





Audio Processor Processor manufacturer Intel Built-in speaker(s) * × Intel Core Ultra 9 Processor family Network Processor generation Intel[®] Core[™] Ultra (Series 1) Top Wi-Fi standard Wi-Fi 6E (802.11ax) 185H Processor model 802.11a, 802.11b, 802.11g, Wi-Fi 4 Processor cores 16 Wi-Fi standards (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi Processor threads 22 6 (802.11ax), Wi-Fi 6E (802.11ax) Performance cores 6 WLAN controller model Intel Wi-Fi 6E AX211 Efficient cores 8 Ethernet LAN * Low Power Efficient-cores 2 Wi-Fi * 1 Low Power Efficient-core Max Turbo 2.5 GHz Bluetooth Frequency Bluetooth version 5.3 Built-in processor * 1 Performance-core boost frequency Ports & interfaces 5.1 GHz Efficient-core boost frequency 3.8 GHz USB 2.0 ports quantity * 1 24 MB Processor cache USB 3.2 Gen 2 (3.1 Gen 2) Type-A 2 Thermal Design Power (TDP) 45 W ports quantity USB4 Gen 2x2 ports quantity 1 Memory HDMI ports quantity * 2 Memory slots type * SO-DIMM HDMI version 2.1 2 Number of memory slots * Ethernet LAN (RJ-45) ports * 1 Maximum internal memory 96 GB DC-in jack Supported memory clock speeds 5600 MHz Supported memory types DDR5-SDRAM Design Dual-channel Memory channels Chassis type * UCFF Product colour * Silver Storage Cooling type * Active Supported storage drive types * SSD On/off switch Storage drive sizes supported * M.2 **VESA** mounting SSD form factor M.2 Product type * Mini PC barebone PCI Express Storage drive interface Power Graphics Power supply type * External AC adapter On-board graphics card * 1 Power supply 150 W Graphics card family Intel Number of power supply units 1 On-board graphics card model Intel Arc Graphics Weight & dimensions Width 144 mm Depth 112 mm Height 41 mm Packaging content

AC adapter included

1

Packaging content

Quick start guide

<



4711387496794

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.