



APC BVX700LI-GR puhvertoiteallikas (UPS) Liini-interaktiivne 0,7 kVA 360 W 2 vahelduvvoolu kontakt

Brand : APC

Product code: BVX700LI-GR

Product name : BVX700LI-GR

APC BVX700LI-GR. Puhvertoiteallika topoloogia: Liini-interaktiivne, Väljundvõimsuse potentsiaal: 0,7 kVA, Väljundvõimsus: 360 W. AC-väljundi tüüp: Tüüp F, Elektripistik: Tüüp F, AC-väljundite arv: 2 vahelduvvoolu kontakt. Akutehnoloogia: Suletud pliiaku (VRLA), Aku mahutavus: 7 Ah, Aku pingeline: 12 V. Toote kuju: Kompaktne, Toote värv: Must, Rahvusvahelise kaitse (IP) kood: IP20. Laius: 31 mm, Sügavus: 138 mm, Kõrgus: 98 mm



| Features | | Battery | |
|------------------------------------|---|------------------------------------|--|
| UPS topology * | Line-Interactive | Battery voltage | 12 V |
| Output power capacity * | 0.7 kVA | Battery life (max) | 2 year(s) |
| Output power * | 360 W | Battery recharge time | 8 h |
| Waveform * | Sine | Cold start | ✓ |
| Input operation voltage (min) * | 170 V | Design | |
| Input operation voltage (max) * | 280 V | Form factor * | Compact |
| Input frequency * | 50/60 Hz | Product colour * | Black |
| Output operation voltage (min) | 230 V | LED indicators | ✓ |
| Output operation voltage (max) | 230 V | International Protection (IP) code | IP20 |
| Output frequency | 50/60 Hz | Certification | CB, CE, EN/IEC 62040-1, EN/IEC 62040-2 |
| Output frequency regulation | 0.5 Hz | Operational conditions | |
| Output voltage regulation | 10% | Operating temperature (T-T) | 0 - 40 °C |
| Automatic Voltage Regulation (AVR) | ✓ | Storage temperature (T-T) | -15 - 40 °C |
| Surge energy rating | 273 J | Operating relative humidity (H-H) | 0 - 95% |
| Response time | 6 ms | Operating altitude | 0 - 3000 m |
| Input power factor | 0.51 | Non-operating altitude | 0 - 3000 m |
| Noise level | 40 dB | Weight & dimensions | |
| Surge protection | ✓ | Width | 31 mm |
| Audible alarm(s) | ✓ | Depth | 138 mm |
| Audible alarm modes | Alarm when on battery, Battery replacement, Low battery alarm, Overload alarm | Height | 98 mm |
| Ports & interfaces | | Weight | 4.5 kg |
| AC outlet types | Type F | Package width | 222 mm |
| Power plug | Type F | Package depth | 346 mm |
| AC outlets quantity | 2 AC outlet(s) | Package height | 142 mm |
| Battery | | Package weight | 4.5 kg |
| Battery technology | Sealed Lead Acid (VRLA) | | |

Battery


Battery capacity 7 Ah

Packaging data

Cables included Input power cable
Manual ✓

Logistics data

Harmonized System (HS) code 85078000



0731304404583



731304404583

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.