

Epson EF-21G andmeprojektor Tavaline viskeprojektor 3LCD 1080p (1920x1080) Must, Roheline

Brand : Epson

Product code: V11HB35340

Product name : EF-21G

Epson EF-21G. Projektsioonitehnoloogia: 3LCD, Projektori loomulik resolutsioon: 1080p (1920x1080), Kontrastsustase (tüüpiline): 5000000:1. Valgusallika tüüp: Laser, Valgusallika kasutusiga: 20000 h. Fikseeritud fookuskaugus: 13,9 mm, Projitseerimiskauguse suhe: 1.00 - 1.82:1. Video töötlemine: 8 bitti, Video värvirežiimid: Kino, Dünaamiline, Naturaalne, Särakino, Ere. Müratase: 23 dB, Müratase (säätsurežiim): 19 dB



Projector		Multimedia	
Supported aspect ratios	16:9	Built-in speaker(s) *	✓
Smart projector *	✓	RMS rated power	5 W
Screen size compatibility *	762 - 3810 mm (30 - 150")	Design	
Projection distance	0 - 1.33 m	Market positioning *	Home cinema
Projection technology *	3LCD	Product type *	Standard throw projector
Projector native resolution *	1080p (1920x1080)	Product colour *	Black, Green
Contrast ratio (typical) *	5000000:1	Placement	Desktop, Floor, TV cabinet
Native aspect ratio *	16:9	Cable lock slot	✓
Number of colours	16.7 million colours	Power	
Projector brightness (economic mode)	500 ANSI lumens	Power source *	AC
Vertical scan range	200 - 240 Hz	Power consumption (typical) *	108 W
Matrix size	1.57 cm (0.62")	Power consumption (economy mode)	78 W
White light output	1000 ANSI lumens	AC input voltage	100-240 V
Colour light output	1000 ANSI lumens	AC input frequency	50 - 60 Hz
Light source		Supplier features	
Light source type *	Laser	Recommended gender	Any gender
Service life of light source *	20000 h	Number of pieces	1 pc(s)
Lens system		Operational conditions	
Fixed focal length	13.9 mm	Operating temperature (T-T)	5 - 35 °C
F-number (relative aperture)	2	Storage temperature (T-T)	-10 - 60 °C
Throw ratio	1.00 - 1.82:1	Operating relative humidity (H-H)	20 - 80%
Video		Storage relative humidity (H-H)	10 - 60%
Full HD *	✓	Weight & dimensions	
3D *	✗	Width	197 mm
Video processing	8 bit	Depth	191 mm
Video colour modes	Cinema, Dynamic, Natural, Bright cinema, Vivid	Height	113 mm
		Weight *	2.3 kg

Ports & interfaces		Packaging content	
USB 2.0 ports quantity	1	Remote control included *	✓
Network		Batteries included	✓
Smart TV *	✓	Cables included	AC
Features		Technical details	
Interactive *	✗	Warranty period	5 year(s)
Noise level (economic mode)	19 dB	Logistics data	
HDCP	✓	Quantity per pack	1 pc(s)
Noise level *	23 dB		



8715946735023

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 23-DEC-2024. Prints or copies of Information are only valid on the printed Publication date