


LG 65UH7N-E infoekraan Digital signage lameekraan 165,1 cm (65") LED WiFi 700 cd/m² 4K Ultra HD Must Sisseehitatud protsessor WebOS 24/7

Brand: LG Product code: 65UH7N-E

Product name: 65UH7N-E







| Display | | Design | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Panel type | IPS | Mounting type | Wall |
| LED backlighting type | Edge-LED | Performance | |
| Display diagonal * Display technology * Display resolution * Display brightness * HD type * Native aspect ratio Response time Contrast ratio (typical) Contrast ratio (dynamic) Viewing angle, horizontal Viewing angle, vertical | chnology * LED solution * 3840 x 2160 pixels ightness * 700 cd/m² 4K Ultra HD pect ratio 16:9 time 8 ms atio (typical) 1100:1 atio (dynamic) 1000000:1 ngle, horizontal 178° | Purpose * On Screen Display (OSD) Number of OSD languages On Screen Display (OSD) languages Operating hours (hours/days) HDCP | Universal 21 Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish German, Dutch, English, Spanish, Finnish, French, Greek, Italian, Japanese, Korean, Norwegian, Portuguese, Russian, Swedish, Turkish 24/7 |
| Display number of colours | 1.07 billion colours | International Protection (IP) code | IP5X |
| Colour saturation Rated lifetime | 95% 50000 h | Power | |
| Native refresh rate Haze rate | 60 Hz 28% | Power consumption (typical) * Power consumption (standby) * | 145 W 0.5 W |
| Ports & interfaces HDMI ports quantity * DVI port * | 2 X | Power consumption (off) Power consumption (max) Energy efficiency class (SDR) AC input voltage | 0.5 W 200 W G 100 - 240 V |
| DisplayPorts quantity * | 2 | AC input frequency | 50 - 60 Hz |
| DisplayPorts in | 1 1 ✓ 2 USB Type-A, USB Type-C ✓ 1 | Computer system | |
| DisplayPorts out USB port * USB ports quantity USB connector type Ethernet LAN * Ethernet LAN (RJ-45) ports | | Computer system * Built-in processor * Internal memory Operating system installed Operating system version | 16 GB WebOS webOS 6.0 |
| Wi-Fi * | ✓ | Weight & dimensions | |
| Audio (L/R) out RS-232C Remote (IR) input | 1 ✓ 1 | Display width Display depth Display height | 1450.3 mm 29.7 mm 830.3 mm |
| Audio | | Display weight | 24.2 kg |
| Built-in speaker(s) * | ✓ | | |

| Audio | | Packaging data | |
|----------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------------------------------|-----------------------------------------------------------------------|
| Number of built-in speakers RMS rated power | 2 20 W | Package width Package depth Package height Package weight | 1600 mm 172 mm |
| Design Product design * | Digital signage flat panel | | 970 mm 30.4 kg |
| Placement supported * | Indoor | Packaging content | |
| Product colour * Black Screen shape Flat VESA mounting * ✓ Panel mounting interface 300 x 300 mm | Black | Tilt angle | 30° |
| | Flat | Remote control included | ✓ |
| | ✓ | Cables included | USB Type-C |
| | 300 x 300 mm | Tilt adjustment | ✓ |
| Bezel width (bottom) Bezel width (side) | 1.29 cm 8.9 mm | Operational conditions | |
| Bezel width (top) | 8.9 mm | Operating temperature (T-T) | 0 - 40 °C |
| Anti-glare screen | ✓ | Operating relative humidity (H-H) | 10 - 80% |
| | | Certificates | |
| | | Certification | CB / NRTL EMC ePEAT (US Only) ErP / Energy Star ISTA6 Carbon Trust |





195174073100

0195174073100

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.